

## Literaturverzeichnis zum Beitrag „Fachtagung der AG Nosokomiale Infektionen am RKI zur Intensivierung der Umsetzung von Präventionsstrategien bei MRSA“

Epidemiologisches Bulletin 2005; 5: 31–38

1. RKI: RKI-Ratgeber Infektionskrankheiten. Merkblätter für Ärzte. <http://www.rki.de> Infektionen A–Z; Staphylokokken/MRSA
- 2a. EARSS Annual report 2003. [www.earss.rivm.nl](http://www.earss.rivm.nl)
- 2b. Tiemersma EW, Bronzwaer SL, Lyytikäinen O, Degeener JE, Schrijnemakers P, Bruinsma N, Monen J, Witte W, Grundman H: European Antimicrobial Resistance Surveillance System Participants: Methicillin-resistant *Staphylococcus aureus* in Europe, 1999–2002. *Emerg Infect Dis* 2004; 10: 1627–1634
3. Witte W, Bräulke C, Cuny C, Heuck D, Kresken M: Changing pattern of antibiotic resistance in methicillin-resistant *Staphylococcus aureus* from German hospitals. *Infection Control Hosp Epidemiol* 2001; 22: 683–686
4. Witte W, Bräulke C, Heuck D, Cuny C: Analysis of nosocomial outbreaks with multiply and methicillin-resistant *Staphylococcus aureus* (MRSA) in Germany: implications for hospital hygiene. *Infection* 1994; 22 Suppl 2: S128–34
5. Witte: International dissemination of antibiotic resistant strains of bacterial pathogens. *Infect Genet Evol* 2004; 4: 187–191
6. Harmsen D, Claus H, Witte W, Rothganger J, Claus H, Turnwald D, Vogel U: Typing of methicillin-resistant *Staphylococcus aureus* in a university hospital setting by using novel software for spa repeat determination and database management. *J Clin Microbiol* 2003; 41: 5442–5448
7. [www.p-e-g.de](http://www.p-e-g.de)
8. [www.genars.de](http://www.genars.de)
9. [www.sari-antibiotika.de](http://www.sari-antibiotika.de)
10. [www.nrz-hygiene.de](http://www.nrz-hygiene.de)
11. Höck M, Swidsinski S, Eberspächer B, et al.: Bakterielle Erreger von Krankenhausinfektionen mit besonderen Resistenzen und Multiresistenzen. Teil II. Erfassung und Bewertung gem. § 23, Abs. 1 IfSG in einem regionalen Netzwerk. *Bundesgesundheitsbl Gesundheitsforsch Gesundheitsschutz* 2004; 47: 363–368
12. Merrer J, Santoli F, Appere de Vecchi C, Tran B, De Jonghe B, Outin H: „Colonization pressure“ and risk of acquisition of methicillin-resistant *Staphylococcus aureus* in a medical intensive care unit. *Infect Control Hosp Epidemiol*. 2000; 21: 718–723
13. Robert Koch-Institut: Zur MRSA-Situation in Deutschland. *Epid Bull* 2004; 42: 358–361
14. Melzer M, Eykyn SJ, Grandsen WR, Chinn S: Is methicillin-resistant *Staphylococcus aureus* more virulent than methicillin-susceptible *S. aureus*? A comparative cohort study of British patients with nosocomial infection and bacteremia. *Clin Infect Dis* 2003; 37: 1453–1460
15. McGarry SA, Engemann JJ, Schmader K, Sexton DJ, Kaye KS: Surgical site infection due to *Staphylococcus aureus* among elderly patients: mortality, duration of hospitalization, and cost. *Infect Control Hosp Epidemiol* 2004; 25: 461–467
16. Rao N, Ziran BH, Hall RA, Santa FR: Successful treatment of chronic bone and joint infections with oral linezolid. *Clin Orthop* 2004; 427: 67–71
17. Anstead GM, Owens AD: Recent advances in the treatment of infections due to resistant *Staphylococcus aureus*. *Curr Opin Infect Dis* 2004; 17: 549–555
18. Meka V, Pillai SK, Sakulas G et al.: Linezolid resistance in sequential *Staphylococcus aureus* isolates associated with T2500A mutation in the 23S rRNA gene and loss of a single copy of rRNA. *J Infect Dis* 2004; 190: 311–317
19. Weber A, Gold HS, Hooper DC, Karchmer AW, Carmeli Y: Fluoroquinolones and the risk for methicillin-resistant *Staphylococcus aureus* in hospitalized patients. *Emerg Infect Dis* 2003; 9: 141–152
20. RKI: Methicillin-resistente *Staphylococcus aureus* (MRSA) in deutschen Alten- und Pflegeheimen – zur Situation. *Epid Bull* 2003; 19: 145–148
21. Neuhaus B, Bocter N, Bräulke C, Heuck D, Witte W: Studie zur Vorkommen von Methicillin-resistenten *S. aureus* in Alten- und Altenpflegeheimen in Nordrhein-Westfalen. *Bundesgesundheitsbl Gesundheitsforsch Gesundheitsschutz* 2002; 45: 894–904
22. Witte W, Rauterberg A, Zimmermann O, Bräulke C, Cuny C, Groß U: Are there community acquired MRSA in Central Europe? Abstract RPO08, *Int J Med Microbiol* 2003; 293: p. 432
23. Lina G, Piemont Y, Godail-Gamont F, Bes M, Peter MO, Gauduchon V, Vandenesch F, Etienne J. Involvement of Panton-Valentine-leukocidin-producing *Staphylococcus aureus* in primary skin infections and pneumonia. *Clin Infect Dis* 1999; 29: 1128–1132
24. Witte W, Bräulke C, Cuny C, Strommenger B, Werner G, Heuck D, Jappe U, Wendt C, Linde HJ, Harmsen D. Emergence of methicillin-resistant *Staphylococcus aureus* with Panton-Valentine leukocidin genes in central Europe. *Eur J Clin Microbiol Infect Dis* 2004; in print
25. Linde HJ, Wagenlehner F, Kleingütl E, Reichl U, Raab U, Holle C, Naber KG, Lehn N, Witte W: Community acquired MRSA (cMRSA) in Germany: two major hospital/nursing home related outbreaks parallel by sporadic cases from the community setting. *Int J Med Microbiol* 2004; 249 S1, IKV 002
26. DIN. Medizinische Mikrobiologie und Immunologie, Diagnostische Verfahren. Methoden zur Empfindlichkeitsprüfung von bakteriellen Krankheitserregern gegen Chemotherapeutika. DIN 58940. DIN Taschenbuch 222, S. 161 ff
27. NCCLS, Performance Standards for Antimicrobial Susceptibility Testing; M100-S12. January 2000
28. Boutiba-Ben Boubaker I, Ben Abes R, Ben Abdallah H, et al.: Evaluation of a cefoxitin disk diffusion test for

- the routine detection of methicillin-resistant *Staphylococcus aureus*. *Clin Microbiol Infect* 2004; 10: 749–772
29. Cuny C, Pasemann B, Witte W: Detection of oxacillin resistance in *Staphylococcus aureus* by screening tests. *Eur J Clin Microbiol Infect Dis* 1999; 18: 834–836
  30. Grisold A, Leitner E, Muchlbauer G, Marth E, Kessler HH: Detection of methicillin-resistant *Staphylococcus aureus* and simultaneous confirmation by automated nucleic acid extraction and real time PCR. *J Clin Microbiol* 2002; 40: 2392–2397
  31. Cuny C, Salmenlinna S, Witte W: Evaluation of a reverse hybridization blot test for detection of oxacillin-resistant *Staphylococcus aureus*. *Eur J Clin Microbiol Infect Dis* 2001; 20: 906–907
  32. Strommenger B, Werner G, Kettlitz C, Witte W: Rapid molecular diagnostic of antibiotic resistance in *S. aureus* using oligonucleotides microarrays. *Int J Med Microbiol* 2003; 293, Suppl. 36, Abstract CV 003, p. 107
  33. Huletsky A, Giroux R, Rossbach V, et al.: New real time PCR assay for rapid detection of methicillin-resistant *Staphylococcus aureus* directly from specimens containing a mixture of staphylococci. *J Clin Microbiol* 2004; 42: 1875–1984
  34. Cuny C, Witte W: PCR detection of MRSA covering both, methicillin resistance and *S. aureus* genomic background. *Clin Microbiol Infect*, submitted
  35. Witte W: Glycopeptide resistant *Staphylococcus*. *J Med Vet* 2004; B51: 370–371
  36. CDC 2004: VISA/VRSA laboratory detection. Centers for Disease Control and Prevention. [www.cdc.gov/ncidod/hip/Lab/FactSheet/vrsa.htm](http://www.cdc.gov/ncidod/hip/Lab/FactSheet/vrsa.htm)
  37. Walsh TR, Howe RA: The prevalence and mechanisms of vancomycin resistance in *Staphylococcus aureus*. *Ann Rev Microbiol* 2002; 56: 657–675
  38. Bernard L, Vaudaux P, Rohner P, Huggler E, Armonet M, Pittet D, Lew DP, Schrenzel J. Comparative analysis and validation of different assays for glycopeptide susceptibility among methicillin-resistant *Staphylococcus aureus*. *J Microbiol Methods* 2004; 57: 231–239
  39. Weigel LM, Clewell DB, Gill SR et al.: Genetic analysis of high-level vancomycin-resistant isolate of *Staphylococcus aureus*. *Science* 2003; 302: 1569–1571
  40. Tenover FC, Weigel LM, Appelbaum PC et al. Vancomycin-resistant *Staphylococcus aureus* isolate from a patient in Pennsylvania. *Antimicrob Agents Chemother* 2004; 48: 275–280
  41. CDC Brief report: Vancomycin-resistant *Staphylococcus aureus* – New York 2004. *Morbidity Mortality Weekly Report* 2004; 53: 322–323
  42. Perichon B, Courvalin P: Heterologous expression of the enterococcal *vanA* operon in methicillin-resistant *Staphylococcus aureus*. *Antimicrob Agents Chemother* 2004; 48: 4281–4285
  43. Engemann JJ, Carmeli Y, Cosgrove SE, Fowler VG, Bronstein MZ, Trivette SL, Briggs JP, Sexton DJ, Kaye KS: Adverse clinical and economic outcomes attributable to methicillin resistance among patients with *Staphylococcus aureus* surgical site infection. *Clin Infect Dis*. 2003 Mar 1; 36 (5): 592–598. Epub 2003 Feb 07
  44. Cosgrove SE, Sakoulas G, Perencevich EN, Schwaber MJ, Karchmer AW, Carmeli Y: Comparison of mortality associated with methicillin-resistant and methicillin-susceptible *Staphylococcus aureus* bacteremia: a meta-analysis. *Clin Infect Dis*. 2003 Jan 1; 36 (1): 53–59. Epub 2002 Dec 13
  45. Robert Koch-Institut: Surveillance nosokomialer Infektionen sowie die Erfassung von Erregern mit speziellen Resistenzen und Multiresistenzen § 6 Abs.3 und § 23 Abs. 1 und 2 in Verbindung mit § 4 Abs. 2 Nr.2b IfSG. Rechtliche Voraussetzungen und Umsetzungsempfehlungen. *Bundesgesundheitsbl Gesundheitsforsch Gesundheitsschutz* 2000; 43: 887–890
  - 46a. Cooper BS, Stone SP, Kibbler CC, Cookson BD, Roberts JA, Medley GF, Duckworth G, Lai R, Ebrahim S: Isolation measures in the hospital management of methicillin-resistant *Staphylococcus aureus* (MRSA): systematic review of the literature. *BMJ* 2004, Sep 4; 329 (7465): 533
  - 46b. Cepeda JA, Whitehouse T, Cooper B, Hails J, Jones K, Kwaku F, Taylor L, Hayman S, Cookson B, Shaw S, Kibbler Ch, Singer M, Bellington G, Peter A, Wilson R: Isolation of patients in single rooms or cohorts to reduce spread of MRSA in intensive-care units: prospective two-centre study. *Lancet* 2005; 365: 295–304
  47. Blok HE, Troelstra A, Kamp-Hopmans TE, Gigengack-Baars AC, Vandenbroucke-Grauls CM, Weersink AJ, Verhoef J, Mascini EM: Role of healthcare workers in outbreaks of methicillin-resistant *Staphylococcus aureus*: a 10-year evaluation from a Dutch university hospital. *Infect Control Epidemiol*. 2003 Sep; 24 (9): 679–685
  48. Kluytmans J, van Belkum A and Verbrugh H: Nasal carriage of *Staphylococcus aureus*: epidemiology, underlying mechanisms, and associated risks. *Clinical Microbiology Reviews* 1997; 10 (3): 505–520
  - 49a. Sheretz RJ, Reagan DR, Hampton KD, Robertson KL, Streed SA, Hoen HM, Thomas R, Gwaltney JM Jr: A cloud adult: the *Staphylococcus aureus*-virus interaction revisited. *Ann Intern Med*. 1996 Mar 15; 124 (6): 539–547
  - 49b. Boyce JM, Opal SM, Potter-Bynoe G, Medeiros AA: Spread of methicillin-resistant *Staphylococcus aureus* in a hospital after exposure to a health care worker with chronic sinusitis. *Clin Infect Dis*. 1993 Sep; 17 (3): 496–504
  - 49c. Boyce JM, Havill NL, Kohan C, Dumigan DG, Ligi CE: Do infection control measures work for methicillin-resistant *Staphylococcus aureus*? *Infect Control Hosp Epidemiol*. 2004 May; 25 (5): 395–401
  50. Pittet D, Simon A, Hugonnet S, Pessoa-Silva CL, Sauvvan V, Perneger: Hand Hygiene among physicians: performance, beliefs, and perceptions. *Ann Intern Med*. 2004 Jul 6; 141 (1): 1–8

51. Pittet D, Boyce JM: Revolutionising hand hygiene in health-care settings: guidelines revisited. *Lancet Infect Dis.* 2003 May; 3 (5): 269–270
- 52a. Loeb M, Main C, Walter-Dilks C, Eady A: Antimicrobial drugs for treating methicillin-resistant *Staphylococcus aureus* colonization. *Cochrane Database Syst Rev.* 2003; (4): CD003340
- 52b. Doebbeling BN, Breneman DL, Neu HC, Aly R, Yangco BG, Holley HP Jr, Marsh RJ, Pfaller MA, McGowan JE Jr, Scully BE, et al.: Elimination of *Staphylococcus aureus* nasal carriage in health care workers: analysis of six clinical trials with calcium mupirocin ointment. The Mupirocin Collaborative Study Group. *Clin Infect Dis.* 1993 Sep; 17 (3): 466–74
53. Richtlinie für Krankenhaushygiene und Infektionsprävention, Hrsg. Robert Koch-Institut. Berlin, Urban & Fischer Verlag, Grundwerk: ISBN 3-437-22266-X; [www.rki.de](http://www.rki.de) ; Krankenhaushygiene; Empfehlungen der Kommission für Krankenhaushygiene
54. Gravet A, Rondeau M, Harf-Monteil C, Grunenberger F, Monteil H, Scheftel J-M and Prévost G: Predominant *Staphylococcus aureus* isolated from antibiotic associated diarrhea is clinically relevant and produces enterotoxin A and the bicomponent toxin LukE-LukD. *Journal of Clinical Microbiology*, December 1999, p. 4012–4019, Vol 37, No. 12