



Coronavirus Disease 2019 (COVID-19)

Daily Situation Report of the Robert Koch Institute

11/11/2020 - UPDATED STATUS FOR GERMANY

Confirmed cases		7-day incidence (7-di)		DIVI -Intensive care register
Total ¹	Active cases ²	Total population	No. of districts with 7-di > 50/100.000 pop	Cases currently in ICU
+ 18,487 (705,687)	+ 4,600 (239,100)	138.1 cases/ 100,000 pop	-5 (370)	+68 (3,127)
Recovered ³	Deaths	People ≥ 60 years	No. of districts with 7-di > 100/100.000 pop	Ended treatment; thereof deceased [%]
+ 13,600 (454,800)	+261 (11,767)	94.5 cases/ 100,000 pop	+3 (271)	+374 21%

Numbers in brackets show cumulative values

¹ The difference to previous day relates to data entry at RKI; due to delay of data transmission former cases may be included.

² Active cases were calculated from the number of transmitted cases minus deaths and the estimated number of recovered cases.

³ The algorithm for estimation of recovered cases considers information about disease onset and hospitalization but not for late effects because such data were not recorded regularly.

COVID-19 cases are notified to the local public health department in the respective districts, in accordance with the German Protection against Infection Act (IfSG). The data are further transmitted through the respective federal state health authority to the Robert Koch Institute (RKI). This situation report presents the uniformly recorded nationwide data on laboratory-confirmed COVID-19 cases transmitted to RKI.

– Changes since the last report are marked *blue* in the text –

Summary (as of 11/11/2020, 12:00 AM)

- Currently, an increase of transmissions in the population in Germany can be observed. Therefore, the entire population is strongly encouraged to commit itself to infection prevention and control.
- The nationwide incidence over the past 7 days is **138.1** cases per 100,000 population.
- Since the beginning of September, the proportion of cases in older age groups has been increasing again. The 7-day incidence of people ≥ 60 years is currently **94.5** cases/100.000 population.
- The 7-day incidence in Bavaria, Berlin, Bremen, Hesse, North Rhine-Westphalia, **Saarland** and Saxony is higher than the national total 7-day incidence.
- Almost all districts have a high 7-day incidence. Only 6 districts have an incidence ≤25 cases/100,000 population. As of today, **36** districts have an incidence of >25-50 cases /100,000 population, **99** districts have an incidence of >50-100 cases/100,000 population, **271** districts have an incidence of >100 cases/100,000 population and of these, **16** districts have an incidence of >250 cases/100,000 population.
- The nationwide increase is caused by increasingly diffuse transmission, with numerous clusters in connection with private gatherings, celebrations or public events, but also in community institutions, nursing and long-term care homes, as well as in occupational settings or related to religious events.
- The number of COVID-19 patients requiring intensive care has increased in the past 2 weeks from **1,569** patients on **28/10/2020** to **3,127** patients on **11/11/2020**.
- On **11/11/2020**, **18,487** new laboratory-confirmed COVID-19 cases and **261** new deaths associated with COVID-19 have been transmitted to the RKI in Germany.

Epidemiological Situation in Germany

In accordance with the international standards of WHO¹ and ECDC², RKI considers all laboratory confirmations of SARS-CoV-2, irrespective of the presence and severity of clinical symptoms, as COVID-19 cases. Thus, in the following report the term "COVID-19 cases" covers acute SARS-CoV-2 infections as well as cases of COVID-19 disease.

General current assessment

After a temporary stabilisation of case numbers at a higher level in late August and early September, there is currently an increase of transmission within the population in all federal states. The proportion of COVID-19 cases in older age groups is currently increasing. The reported R-values were stable well above 1 since the beginning of October. Over the past few days the R-value has been fluctuating and is currently below 1. This means that, on average, each person infected with SARS-CoV-2 infects another person. As the number of infected persons is currently very high in Germany, this means that there is still a high number of new cases every day.

The data table on page 1 was adapted. The aim of the change is to focus on the current situation primarily. Therefore, changes to the previous day are given priority. Reporting data from other surveillance systems will become more visible. In particular data on ICU capacities are of great importance in the current situation.

There are outbreaks in various districts throughout Germany, which are associated with different situations, including large celebrations in the family and circle of friends, in occupational settings, and in old people's and nursing homes. In addition, in many districts there is an increasingly diffuse spread of SARS-CoV-2, without traceable transmission chains.

Currently, however, the number of illnesses among older people is on the rise again. As they more often have a severe course due to COVID-19, the number of serious cases and deaths is also increasing. These can be avoided if we prevent the spread of the SARS-CoV-2 virus with the help of infection control measures.

It is therefore still necessary for the entire population to be committed to infection prevention and control, e.g. by consistently observing rules of distance and hygiene - also outdoors -, by ventilating indoor spaces and, where indicated, by wearing a community mask correctly. Crowds of people - especially indoors - should be avoided.

¹ World Health Organization, https://www.who.int/publications/i/item/WHO-2019-nCoV-Surveillance_Case_Definition-2020.1

² European Centre for Disease Prevention and Control, <https://www.ecdc.europa.eu/en/covid-19/surveillance/case-definition>

Geographical distribution of cases

Epidemiological analyses are based on validated cases notified electronically to the RKI in line with the Protection Against Infection Law (Data closure: 12:00 AM daily). Since January 2020, a total of **705,687 (+18,487)** laboratory-confirmed cases of COVID-19 have been reported to and validated by the RKI (Table 1).

Table 1: Number and cumulative incidence (per 100,000 population) of laboratory-confirmed COVID-19 cases and deaths for each federal state electronically reported to RKI, Germany (11/11/2020, 12:00 AM). The number of new cases includes positive cases notified to the local health department at the same day, but also at previous days.

Federal State	Total number of cases	Number of new cases*	Cases/100,000 pop.	Cases in the last 7 days	7-day incidence per 100,000 pop.	Number of deaths	Number of deaths/100,000 pop.
Baden-Wuerttemberg	104,707	2,414	943	14,721	132.6	2,167	19.5
Bavaria	139,914	3,278	1,066	22,405	170.7	3,018	23.0
Berlin	42,014	1,554	1,145	6,450	175.8	314	8.6
Brandenburg	11,031	241	437	1,692	67.1	226	9.0
Bremen	7,367	113	1,081	1,268	186.1	89	13.1
Hamburg	17,860	423	967	2,085	112.9	305	16.5
Hesse	57,466	1,722	914	10,964	174.4	809	12.9
Mecklenburg-Western Pomerania	3,910	124	243	739	46.0	34	2.1
Lower Saxony	48,400	1,081	605	7,259	90.8	843	10.5
North Rhine-Westphalia	180,523	4,572	1,006	30,129	167.9	2,465	13.7
Rhineland-Palatinate	28,034	797	685	5,164	126.1	334	8.2
Saarland	9,012	372	913	1,477	149.7	205	20.8
Saxony	28,507	1,168	700	6,034	148.2	426	10.5
Saxony-Anhalt	7,101	173	324	1,317	60.0	96	4.4
Schleswig-Holstein	10,466	252	360	1,590	54.8	208	7.2
Thuringia	9,375	203	439	1,587	74.4	228	10.7
Total	705,687	18,487	849	114,881	138.1	11,767	14.1

Quality checks and data cleaning by the health authorities and regional offices can lead to corrections to cases previously transmitted (e.g. detection of duplicate reports). This can occasionally lead to negative values for the number of new cases

Distribution of cases over time

The first COVID-19 cases in Germany were notified in January 2020. Figure 1 shows COVID-19 cases transmitted to RKI according to date of illness onset from 01/03/2020 onwards. Of these cases, the onset of symptoms is unknown for **364,350 cases (52%)** thus their date of reporting is provided in Figure 1.




Figure 1: Number of COVID-19 cases in Germany electronically reported to the RKI by the date of symptoms onset or – if unknown – alternatively by date of reporting since 01/03/2020 (11/11/2020, 12:00 AM).

Occupation, accommodation or care in facilities

In accordance with the Protection Against Infection Act (Infektionsschutzgesetz, IfSG), the RKI receives information on occupation, accommodation or care in a facility relevant for infection control for reported COVID-19 cases.

Since information on occupation, accommodation or care in these facilities is missing in 56% of cases, the numbers of cases working, accommodated or cared for in these facilities reported here should be considered minimum values. Among the COVID-19 cases reported from the above-mentioned facilities, the proportion of cases that actually acquired their infection in these facilities is unknown.

The number of COVID-19 cases was highest among persons cared for or employed in care facilities according to § 36 IfSG, among persons employed in medical facilities according to § 23 IfSG and among persons cared for in educational facilities according to § 33 IfSG (Table 2). The number of deaths was particularly high among persons cared for in facilities according to §§ 23 and 36.

Among the cases reported as working in medical facilities (§ 23 IfSG), 74% were female and 26% male. Their median age was 40 years. The high number of cases among people cared for or working in various care facilities (§ 36 IfSG) is consistent with numerous reported outbreaks, especially in nursing homes. The high number of cases among persons working in the food sector (§ 42 IfSG) is largely due to outbreaks in meat processing plants.

Table 2: Notified COVID-19-cases according to possible occupation, accommodation or care in facilities relevant for transmission of infectious diseases according to the Protection Against Infection Act (IfSG), reported to RKI (701.471* cases, no data available for 383,170 cases; 11/11/2020, 12:00 AM)

Facility according to		Total	Hospitalised	Deaths	Recovered (estimate)
§ 23 IfSG (e.g. hospitals, outpatient clinics and practices, dialysis clinics or outpatient nursing services)	Cared for / accommodated in facility	6,031	3,876	825	4,300
	Occupation in facility	21,012	810	25	19,300
§ 33 IfSG (e.g. day care facilities, kindergartens, facilities for after school care, schools or other educational facilities, children's homes, holiday camps)	Cared for / accommodated in facility*	17,769	212	2	14,700
	Occupation in facility	8,542	267	9	7,300
§ 36 IfSG (e.g. facilities for the care of older, disabled, or other persons in need of care, homeless shelters, community facilities for asylum-seekers, repatriates and refugees as well as other mass accommodation and prisons)	Cared for / accommodated in facility	25,064	4,989	4,081	18,700
	Occupation in facility	14,152	544	45	13,000
§ 42 IfSG (e.g. meat processing plants or kitchens in the catering trade, in inns, restaurants, canteens, cafés, or other establishments with or for communal catering)	Occupation in facility	8,343	311	5	7,700
Neither cared for, accommodated in nor working in a facility		217,388	23,140	4,116	191,000

*for care according to § 33 IfSG only cases under 18 years of age are taken into account, as other information may be assumed to be incorrect. Due to changes in data registration, not all data entries for cases ascertained in the most recent version of the surveillance software could be taken into account. This will be corrected in the coming days.

Outbreaks

An increased incidence of >25 cases in 7 days/100,000 population was reported for almost every district (406 of 412). By now, 271 urban and rural districts have an incidence of over 100 cases/100,000 population, including 16 districts with an incidence of over 250 cases/100,000 population; additionally, 99 districts have a 7-day incidence of >50 -100 cases/100,000 population and 36 districts have a 7-day incidence of > 25 – 50 cases/100,000 population. The dashboard (<https://corona.rki.de>) shows all affected districts.

In most districts the transmission is diffuse, with several cases clustering in the context of celebrations with family and friends. On some occasions, specific large outbreaks have been the cause for large increases in the affected districts. However, many small outbreaks in retirement and nursing homes, in hospitals and facilities for asylum seekers and refugees, and community facilities, kindergartens and schools, various occupational settings and in the context of religious gatherings continue to contribute to the increase of incidence.

Estimation of the reproduction number (R)

The reproduction number, R, is defined as the mean number of people infected by one infected person.

The estimation of the R-value is based on the so-called nowcasting (Figure 4), a statistical procedure that shows the development of the number of cases after the onset of the disease and also forecasts it for the last few days. This forecast is subject to uncertainty, which is also reflected in the prediction intervals given for the R-value. After other case reports have been received at the RKI, the R-value is adjusted for the past days and, if necessary, corrected upwards or downwards. In recent weeks, values reported at the beginning of a week were typically corrected slightly upwards. They had thus slightly underestimated

the real COVID-19 events in Germany. Values estimated towards the end of a week were more stable. The currently estimated course of the R-value is shown in Figure 5.

4-day R-value	7-day R-value
0.77	0.89
(95%-prediction interval: 0.63 – 0.90)	(95%-prediction interval: 0.82 – 0.97)

Delays in reporting of case numbers at weekend days can lead to cyclical fluctuations of the 4-day R-value. The 7-day R-value is less affected because all week days are used to determine the value.




Figure 4: Number of notified COVID-19 cases with known date of illness onset (dark blue), estimated date of illness onset for cases without reported date of onset (grey) and estimated number of not yet notified cases according to illness onset electronically reported to RKI (orange) (as of 11/11/2020, 12 AM, taking into account cases up to 07/11/2020).




Figure 5: The estimated R-values (in green and orange) over the last 60 days, against the background of estimated number of COVID-19 cases according to illness onset (as of 11/11/2020, 12 AM, taking into account cases up to 07/11/2020).

The reported R-values have been stable well above 1 in October. Over the past few days the R-value has been fluctuating and is currently below 1. This means that, on average, each person infected with SARS-CoV-2 infects another person. As the number of infected persons is currently very high in Germany, this means that there is still a high number of new cases every day.

Sample calculations as well as an excel sheet presenting both R-values with daily updates can be found under www.rki.de/covid-19-nowcasting. A detailed description of the methodology is available at https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/17/Art_02.html (Epid. Bull. 17 | 2020 from 23/04/2020).

DIVI intensive care register

The German Interdisciplinary Association for Intensive and Emergency Medicine (DIVI) has in collaboration with RKI established a registry to document the number of available intensive care beds as well as the number of COVID-19 cases treated in participating hospitals on a daily basis. Since 16/04/2020, all hospitals with intensive care beds are required to report (<https://www.intensivregister.de/#/intensivregister>).

As of 11/11/2020, a total of **1,289** hospitals or departments reported to the DIVI registry. Overall, **28,502** intensive care beds were registered, of which **21,787** (76%) are occupied, and **6,715** (24%) are currently available. The number of COVID-19 cases treated in participating hospitals is shown in Table .

Table 6: COVID-19 patients requiring intensive care (ICU) recorded in the DIVI register (10/11/2020, 12:15 PM).

	Number of patients	Percentage	Change to previous day*
Currently in ICU	3,127		+68
- of these: with invasive mechanical ventilation	1,787	56%	+50
Discharged from ICU	24,156		+374
- of these: deaths	5,450	23%	+80

*The interpretation of these numbers must take into account the number of reporting hospitals and therefore the number of reported patients may change from day to day. On certain days, this can explain an occasionally important decrease or increase in the cumulative number of discharged patients or deaths compared with the day before.

Surveys on SARS-CoV-2 laboratory tests in Germany

To assess the SARS-CoV-2 test numbers, data from university hospitals, research institutions as well as clinical and outpatient laboratories throughout Germany are merged weekly at the RKI. These data are ascertained on a voluntary basis and are transmitted to RKI via an internet-based RKI test laboratory survey, via the network for respiratory viruses (RespVir), via the laboratory-based SARS-CoV-2 Surveillance established at the RKI (an extension of the Antibiotic Resistance Surveillance (ARS)) and via the enquiry of a professional association of laboratory medicine.

Since the beginning of testing in Germany up to and including week **45/2020**, **25,010,416** laboratory tests have been recorded to date, **736,792** of which have tested positive for SARS-CoV-2.

Up to and including week **45**, 253 laboratories have registered for the RKI test laboratory survey or in one of the other transmitting networks and transmit data upon reminder largely on a weekly basis. Since laboratories can register **and correct** the tests of the previous calendar weeks at a later date, it is

possible that the ascertained numbers can increase retrospectively. It should be noted that the number of tests is not the same as the number of persons tested, as the data may include multiple tests of individual patients (Table 3 with data for the last 10 weeks – complete data since beginning of testing are available at www.rki.de/covid-19-testzahlen (in German)).

Table 3: Number of SARS-CoV-2-laboratory tests in Germany (as of 10/11/2020) (the data have been corrected on 12/11/2020)

Calendar week 2020	Number of tests	Tested positiv	Proportion positive (%)	Number of reporting laboratories
Up to & including week 35	12,333,828	281,973		
36	1,072,316	8,294	0.77	192
37	1,164,932	10,046	0.86	194
38	1,146,565	13,261	1.16	203
39	1,155,995	14,094	1.22	189
40	1,101,413	18,290	1.66	191
41	1,188,338	29,567	2.49	191
42	1,261,398	44,733	3.55	198
43	1,405,543	77,393	5.51	201
44	1,614,670	115,758	7.17	198
45	1,565,418	123,383	7.88	188
Total	25,010,416	736,792		

Risk Assessment by the RKI

In view of the recent increase in case numbers with severe disease, which have to be treated in ICUs and the increasingly tense situation in the health system the risk assessment of the RKI was adapted to the situation on 26/10/2020. The current version can be found here:

<https://www.rki.de/EN/Content/infections/epidemiology/outbreaks/COVID-19/Risk-assessment.html> (in German)

Measures taken in Germany

- Recommendations on distribution of COVID-19-vaccines by The Standing Committee on Immunisation (STIKO). The German Ethics Council and German National Academy of Sciences Leopoldina (09/11/2020. in German) <https://www.ethikrat.org/fileadmin/Publikationen/Ad-hoc-Empfehlungen/deutsch/gemeinsames-positionspapier-stiko-der-leopoldina-impfstoffpriorisierung.pdf>
- National Testing Strategy – who will be tested for SARS-CoV-2 in Germany (14/10/2020. in German) https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Teststrategie/Nat-Teststrat.html
- SARS-CoV-2 test criteria for schools during the COVID 19 pandemic (12/10/2020. in German) https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Teststrategie/Testkriterien-Schulen.pdf
- Preventive measures in schools during the COVID 19 pandemic (12/10/2020) (in German) https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Praevention-Schulen.pdf
- Selected and regularly updated information on COVID-19 (in English) <https://www.rki.de/EN/Content/infections/epidemiology/outbreaks/COVID-19/COVID19.html>
- Information on the designation of international risk areas https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Risikogebiete_neu.html

- The ministry of health has published a record of all measures implemented in Germany since 27/01/2020 (*in German*)
<https://www.bundesgesundheitsministerium.de/coronavirus/chronik-coronavirus.html>
- Information from the Ministry of Health for travellers entering Germany: Frequently asked questions and answers (*in German*)
<https://www.bundesgesundheitsministerium.de/coronavirus-infos-reisende/faq-tests-einreisende.html>
- Corona-Warn-App
<https://www.rki.de/EN/Content/infections/epidemiology/outbreaks/COVID-19/CWA/CWA.html>
- Orders concerning travel after the determination of an epidemic situation of national significance by the German Bundestag (29/09/2020)
https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Transport/BMG_Merkblatt_Reisende_Tab.html
- Information on additional regulations at the regional level regarding control measures such as physical distancing or quarantine regulations for persons entering from other countries can be accessed here: (*in German*)
<https://www.bundesregierung.de/breg-de/themen/coronavirus/corona-bundeslaender-1745198>
- Data on current disease activity can be found on the RKI dashboard:
<https://corona.rki.de/>
- A distance of 1.5 metres to other individuals must be maintained in public spaces: (*in German*)
<https://www.bundesregierung.de/breg-de/themen/coronavirus/besprechung-der-bundeskanzlerin-mit-den-regierungschefinnen-und-regierungschefs-der-laender-1733248>
- (Non-medical) face masks must be worn on public transport and in shops in all federal states.