

# GEDA Core variables

This document displays all variables of the GEDA core set which is comprised in the public use files. The English translation is based on the German version of the respective questions and is therefore not necessarily equivalent to the wording of the original instrument. The following table of questions has been prepared for illustrative purposes only. It is not intended to assist with developing a questionnaire. The GEDA questionnaire incorporates third party material which is protected by copyright and such material is used by the Robert Koch Institute under license.

© Robert Koch Institute

The Robert Koch Institute is a German federal institute under the administration of the German Federal Ministry of Health

Phone: +49 (0)30 - 18754 3100

Fax: +49 (0)30 - 1810754 3100

E-Mail: [geda@rki.de](mailto:geda@rki.de)

Internet: [www.geda-studie.de](http://www.geda-studie.de)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
Sex	Are you...? Note: rationale: the question about gender is important because this determines which questions do not have to/should not be asked.  1 Male 2 Female	Everybody	In addition, variable is shown as sexb (sex: Men & Women)
age [agegrp1-10]	Because age plays an important role in health, tell me first: which year were you born in?  4 digits (year of birth)	Everybody	Age of respondents is also shown in age in 5- and 10-year-groups [age5B, age10B]
	In which month were you born?  1-12 month of birth	Everybody	Age of respondents is also shown in age in 5- and 10-year-groups [age5B, age10B]
	Would you be willing to tell us at least roughly how old you are? Without an indication of age, it makes no sense for us to continue the survey. Are you younger than...  20 ... 20 years old 35 ... 35 years old 45 ... 45 years old 50 ... 50 years old 65 ... 65 years old 70 ... 70 years old 75 ... or older	age=without response	Age of respondents is also shown in age in 5- and 10-year-groups [age5B, age10B]
GZmehm1	First let me ask you a few questions about your health. How is your general state of health? Is it very good, good, moderate, bad or very bad?  1 Very good 2 Good 3 Moderate 4 Poor 5 Very Poor	Everybody	In addition, variable is shown as GZmehm1_k (Very good/good & moderate/poor/very poor)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
GZmehm3	Do you have one or more long-lasting chronic illness? Note: chronic illnesses are long-lasting diseases requiring constant treatment and monitoring, e.g. diabetes or heart diseases.  1 Yes 2 No	Everybody	
GZmehm2	To what extent are you durably restricted by illness in performing your everyday activities? By durably we mean for at least half a year.  1 Significantly restricted 2 Restricted, but not significantly 3 Not restricted	Everybody	In addition, variable is shown as GZmehm2_k (Restricted & not restricted)
KHdiab	Has a doctor ever diagnosed you with a sugar-related illness or diabetes?  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHdiab12p (12 month prevalence diabetes: yes & no)
KHdiabsw	Was that during a pregnancy?  1 Yes 2 No	sex=2 and age<50	
KHdiab12	Have you had any sugar-related illness in the last 12 months?  1 Yes 2 No	KHdiab=1	In addition, variable is one aspect of KHdiab12p (12 month prevalence diabetes: yes & no)
KHni	Has a doctor ever detected a chronic limitation of the kidney function, also referred to as renal insufficiency, in you?  1 Yes 2 No	Everybody	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KHni12	Has renal insufficiency also occurred in the last 12 months?  1 Yes 2 No	KHni=1	
KHcle	Has a doctor ever diagnosed you with chronic liver disease? Note: only if diagnosed by a doctor. This does not include Hepatitis A.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHcle12p (12 month prevalence chronic liver disease: yes & no)
KHcle12	Has this liver disease also occurred in the last 12 months?  1 Yes 2 No	KHcle=1	In addition, variable is one aspect of KHcle12p (12 month prevalence chronic liver disease: yes & no)
KHab	Has a doctor ever diagnosed you with bronchial asthma? Note: synonyms for bronchial asthma: allergic bronchial asthma, lung asthma, allergic asthma  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHab12p (12 month prevalence bronchial asthma: yes & no)
KHab12	Have you also had asthma in the last 12 months?  1 Yes 2 No	KHab=1	In addition, variable is one aspect of KHab12p (12 month prevalence bronchial asthma: yes & no)
KHcb	Has a doctor ever diagnosed you with chronic bronchitis? Note: chronic bronchitis means coughing and discharge for at least three months a year.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHcb12p (12 month prevalence chronic bronchitis yes & no)
KHcb12	Has this illness also occurred in the last 12 months?  1 Yes 2 No	KHcb=1	In addition, variable is one aspect of KHcb12p (12 month prevalence chronic bronchitis yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KHdge	Has a doctor ever diagnosed you with arthrosis or degenerative joint disease? Note: arthrosis = osteoarthritis.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHdge12p (12 month prevalence arthrosis or degenerative joint disease: yes & no)
KHdge12	Has arthrosis also occurred in the last 12 months?  1 Yes 2 No	KHdge=1	In addition, variable is one aspect of KHdge12p (12 month prevalence arthrosis or degenerative joint disease: yes & no)
KHra	Has a doctor ever diagnosed you with arthritis, rheumatoid arthritis or chronic polyarthritis? Note: arthritis = inflammatory joint or spinal disease. Additional synonyms: rheumatoid arthritis, chronic progressive polyarthritis; this does Not mean what is commonly known as “rheumatism”.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHra12p (12 month prevalence (rheumatoid) arthritis or chronic polyarthritis: yes & no)
KHra12	Has arthritis also occurred in the last 12 months?  1 Yes 2 No	KHra=1	In addition, variable is one aspect of KHra12p (12 month prevalence (rheumatoid) arthritis or chronic polyarthritis: yes & no)
KHos	Has a doctor ever detected osteoporosis, sometimes also referred to as bone atrophy, in you?  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHos12p (12 month prevalence osteoporosis: yes & no)
KHos12	Has osteoporosis also occurred in the last 12 months?  1 Yes 2 No	KHos=1	In addition, variable is one aspect of KHos12p (12 month prevalence osteoporosis: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SZdors	Have you ever had back pain lasting for three months or longer, and, moreover, almost on a daily basis? Note: in case of any ambiguities, this means: 3 months at a stretch, back pain occurring almost on a daily basis - including slight back pain where this is defined as back pain by the respondent  1 Yes 2 No	Everybody	In addition, variable is one aspect of SZdors12p (12 month prevalence back pain: yes & no)
SZdors12	Has this also been the case in the last 12 months? Note: select "Yes" even if only part of the period with back pain, of at least three months, was within the last 12 months.  1 Yes 2 No	SZdors=1	In addition, variable is one aspect of SZdors12p (12 month prevalence back pain: yes & no)
PKdepA	Has a doctor or psychotherapist ever diagnosed you with depression or depressive moods?  1 Yes 2 No	Everybody	In addition, variable is one aspect of PKdep12pA (yes & no)
PKdep12A	Also in the last 12 months?  1 Yes 2 No	PKdepA=1	In addition, variable is one aspect of PKdep12pA (yes & no)
PKdeparztA	Have you ever undergone medical or psychotherapy treatment for your depression?  1 Yes 2 No	PKdepA=1	
KHhyp	Has a doctor ever diagnosed high blood pressure or hypertonia in you? Note: this only means medical diagnoses!  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHhyp12p (hypertonia 12month-prevalence: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KHhyp12	Has the high blood pressure also occurred in the last 12 months?  1 Yes 2 No	KHhyp=1	In addition, variable is one aspect of KHhyp12p (hypertonia 12month-prevalence: yes & no)
KHhypmedA	Is your high blood pressure currently being treated with drugs, i.e. do you take any blood pressure reducing medicines?  1 Yes 2 No	KHhyp=1	In addition, variable is one aspect of KHhyp12pm (hypertonia 12month-prevalence including medication: yes & no)
KHlipA	Has a doctor ever detected elevated blood lipids or high cholesterol levels in you?  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHlip12pA (12 month prevalence high cholesterol: yes & no)
KHlip12A	Has this also been the case in the last 12 months?  1 Yes 2 No	KHlipA=1	In addition, variable is one aspect of KHlip12pA (12 month prevalence high cholesterol: yes & no)
KHlipmedA	Are you currently taking drugs against high cholesterol?  1 Yes 2 No	KHlipA=1	In addition, variable is one aspect of KHlip12pmA (12 month prevalence elevated blood lipids or high cholesterol with medication: yes & no)
KHkhk	Have you ever been diagnosed with circulatory disorders in the heart or a narrowing of the coronary arteries? Note: coronary heart disease or angina pectoris is also referred to here.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHkhkmyo (lifetime prevalence coronary heart disease or heart attack: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KHkhk12	Has this disease been detected in the last 12 months?  1 Yes 2 No	KHkhk=1	
KHmyo	Has a doctor ever diagnosed you with a heart attack?  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHkhkmyo (lifetime prevalence coronary heart disease or heart attack: yes & no)
KHmyo12	Was this in the last 12 months?  1 Yes 2 No	KHmyo=1	
KHhi	Has a doctor ever detected myocardial insufficiency or heart failure in you? Note: medically defined reduced cardiac output; medical diagnosis only.  1 Yes 2 No	Everybody	In addition, variable is one aspect of KHhi12p (12 month prevalence myocardial insufficiency: yes & no)
KHhi12	Has the myocardial insufficiency also occurred in the last 12 months?  1 Yes 2 No	KHhi=1	In addition, variable is one aspect of KHhi12p (12 month prevalence myocardial insufficiency: yes & no)
KHsa	Has a doctor ever diagnosed you with a stroke?  1 Yes 2 No	Everybody	
KHsa12	Was this in the last 12 months?  1 Yes 2 No	KHsa=1	



**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KHkarz	Has a doctor ever diagnosed you with cancer or a malignant tumour?  1 Yes 2 No	Everybody	
KHkarz12	Has this cancer been identified in the last 12 months?  1 Yes 2 No	KHkarz=1	
UVarzt	Have you had an injury or poisoning in the last 12 months, which had to be attended to medically? Note: this means internal and external injuries or poisoning.  1 Yes 2 No	Everybody	In addition, variable is one aspect of UVunfall
UVarztzB	How many injuries or cases of poisoning have you had in the last 12 months which had to be attended to medically?  2 digits (number of injuries)	UVarzt=1	
UVtypB_mx	Was your injury or poisoning the consequence of...  1 ...an accident, i.e. unintentional? [UVtypB_m1] 2 ...an assault, affray or mistreatment? [UVtypB_m2] 3 ...or was it self-induced? [UVtypB_m3] 4 ...other [UVtypB_m4]	UVarzt=1	In addition, variable is one aspect of UVunfall

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
UVortB_mx [GEDA12: UVortD]	Where did you suffer the injury or poisoning? Note: this means injuries or cases of poisoning which had to be attended to medically.  1 On the way to or from work/school? [UVortB_m1] 2 In the workplace? [UVortB_m2] 3 In school/educational institution? [UVortB_m3] 4 In the home or the immediate environment of the home, e.g. garden, courtyard, garage? [UVortB_m4] 5 In your free time, on public paths, roads or space? [UVortB_m5] 6 In your free time, in a non-public area? [UVortB_m5]	UVarzt=1	Caution: question and answer set are different in the three survey waves. The version in GEDA09 is different to the one in GEDA10/GEDA12.
SHseh1	Do you have glasses or contact lenses?  1 Yes 2 No	Everybody	
(SHseh2)	Can you read the print of a newspaper, where appropriate with the use of visual aids? Note: by visual aids we mean glasses, reading glasses, contact lenses, magnifying glasses, binoculars and screen reading equipment.  1 Yes, without any difficulty 2 Yes, with slight difficulty 3 Yes, with great difficulty 4 No, not at all	Everybody	Variable is only shown as SHseh2_k (reading newspaper: at least slightly difficult & not difficult) and is one aspect of SEseh (vision: Yes, without difficulty & Yes, with slight difficulty & Yes, with great difficulty & No, not at all)
(SHseh3)	Can you see a person's face at a distance of 4 metres, e.g. on the other side of the road, where appropriate with the use of a visual aid? Note: by visual aids we mean glasses, reading glasses, contact lenses, magnifying glasses, binoculars and screen reading equipment.  1 Yes, without any difficulty 2 Yes, with slight difficulty 3 Yes, with great difficulty 4 No, not at all	Everybody	Variable is only shown as SHseh3_k (face in 4m distance: at least slightly difficult & not difficult) and is one aspect of SHseh (vision: Yes, without difficulty & Yes, with slight difficulty & Yes, with great difficulty & No, not at all)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SHhoer1	Do you have a hearing aid?  1 Yes 2 No	Everybody	
(SHhoer3)	Can you hear or understand what is said in a conversation with several persons, where appropriate using a hearing aid?  1 Yes, without any difficulty 2 Yes, with slight difficulty 3 Yes, with great difficulty 4 No, not at all	Everybody	Variable is only shown as SHhoer3_k (hear a conversation: at least slightly difficult & not difficult)
LQsf369a	How often in the past 4 weeks have you been full of life?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36vt (vitality within the last 4 weeks); LQsf36vt is additionally shown as LQsf36vtnorm (standardized to US 1998)
LQsf369b	How often in the past 4 weeks have you been very nervous?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36mh (psychological well-being within the last 4 weeks); LQsf36mh is additionally shown as LQsf36mhnorm (standardized to US 1998)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
LQsf369c	How often in the past 4 weeks have you been so depressed that nothing could cheer you up?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36mh (psychological well-being within the last 4 weeks); LQsf36mh is additionally shown as LQsf36mhnorm (standardized to US 1998)
LQsf369d	How often in the past 4 weeks have you been calm and composed?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36mh (psychological well-being within the last 4 weeks); LQsf36mh is additionally shown as LQsf36mhnorm (standardized to US 1998)
LQsf369e	How often in the past 4 weeks have you been full of energy?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36vt (vitality within the last 4 weeks); LQsf36vt is additionally shown as LQsf36vtnorm (standardized to US 1998)
LQsf369f	How often in the past 4 weeks have you been dejected and sad?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36mh (psychological well-being within the last 4 weeks); LQsf36mh is additionally shown as LQsf36mhnorm (standardized to US 1998)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
LQsf369g	How often in the past 4 weeks have you been exhausted?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36vt (vitality within the last 4 weeks); LQsf36vt is additionally shown as LQsf36vtnorm (standardized to US 1998)
LQsf369h	How often in the past 4 weeks have you been happy?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36mh (psychological well-being within the last 4 weeks); LQsf36mh is additionally shown as LQsf36mhnorm (standardized to US 1998)
LQsf369i	How often in the past 4 weeks have you been tired?  1 always 2 mostly 3 quite often 4 sometimes 5 never	Everybody	In addition, variable is one aspect of LQsf36vt (vitality within the last 4 weeks); LQsf36vt is additionally shown as LQsf36vtnorm (standardized to US 1998)
GZcdc1z	When you think about your physical health - including physical illnesses and injuries -, on how many days in the last four weeks did you feel unwell as a result of your physical health?  1-30 number of days 0 None 31 Every day/the whole time	Everybody	In addition, variable is one aspect of GZcdc12z (Unhealthy days within the last 4 weeks)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
GZcdc2z	When you think of your emotional condition - including stress, depression, or your mood - in general terms on how many days in the last four weeks did you feel unwell as a result of your emotional condition?  1-30 number of days 0 None 31 Every day/the whole time	Everybody	In addition, variable is one aspect of GZcdc12z (Unhealthy days within the last 4 weeks) and GZcdc2_k (Frequent mental distress: 0 to 13 days & 14 or more days)
GZcdc3z	And on how many days in the last four weeks have you been affected - by your physical health or as a result of your emotional condition - in the performance of your everyday activities, e.g. feeding yourself, going to work, or relaxing?  1-30 number of days 0 None 31 Every day/the whole time	GZcdc1z>0 and GZcdc2z>0	
(PAgroe)	How tall are you without shoes - in cm?  3 digits (height in cm)	Everybody	Variable is only shown as an aspect of PAadipos, PAbmi_k, PAbmi_k2 and PAueber, which display different classifications of weight and height
(PAgwi)	How much do you weigh without clothes- in kg?  3 digits (weight in kg)	Everybody	Variable is only shown as an aspect of PAadipos, PAbmi_k, PAbmi_k2 and PAueber, which display different classifications of weight and height

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KAemp fz	<p>On how many days of the week are you physically active in such a way that you sweat or get out of breath? Note: this relates to an average week.</p> <p>1-7 number of days 0 None</p>	Everybody	In addition, variable is one aspect of KAemp f (physical activity at least 5 days a week $\geq 30$ min.: yes & no) and KAemp f_k (duration of physical activity: $< 2.5$ hrs/week & $\geq 2.5$ hrs/week on $< 5$ days & $\geq 7$ days/week, $\geq 30$ min./day); KAemp f_k is additionally shown as KAemp f_k2 (duration of physical activity over 2.5hrs/week: yes & no)
KAemp fdau	<p>And on average how long are you physically active for on such days?</p> <p>1 60 minutes and more 2 Between 30 and 60 minutes 3 Between 10 and 30 minutes 4 Less than 10 minutes</p>	KAemp fz>0	In addition, variable is one aspect of KAemp f (physical activity at least 5 days a week $\geq 30$ min.: yes & no) and KAemp f_k (duration of physical activity: $< 2.5$ hrs/week & $\geq 2.5$ hrs/week on $< 5$ days & $\geq 7$ days/week, $\geq 30$ min./day); KAemp f_k is additionally shown as KAemp f_k2 (duration of physical activity over 2.5hrs/week: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
KAspo	Think about the last 3 months. Have you done any sport?  1 Yes 2 No	Everybody	In addition, variable is one aspect of KAspodauA_k (physical activity (hrs/week) within the last 3 months: no sports, up to 2 hours. & 2 to 4 hours & more than 4 hours)
KAspodauA	And roughly how many hours a week was this?  1 More than 4 hours 2 Up to 4 hours 3 Up to 2 hours 4 Up to 1 hour 5 Or less	KAspo=1	In addition, variable is one aspect of KAspodauA_k (physical activity (hrs/week) within the last 3 months: no sports, up to 2 hours. & 2 to 4 hours & more than 4 hours)
KASubj	Overall, how much attention do you pay to sufficient physical movement?  1 Very much 2 A lot 3 Neither a lot nor a little 4 Little 5 None at all	Everybody	
ENobst	How often do you eat fruit?  4 Every day 3 At least once a week 2 Less than once a week 1 Never	Everybody	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENobstz1	And how many portions of fruit do you eat a day? One portion is equivalent to a handful of fruit. Note: 1 banana, 1 apple or 1 pear is equal to one portion.  2 digits (number of portions) 0 Half a portion	ENobst=4	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)



**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
ENobstz2	<p>And how many portions of fruit do you eat a week? One portion is equivalent to a handful of fruit. Note: 1 banana, 1 apple or 1 pear is equal to one portion.</p> <p>2 digits (number of portions)</p>	ENobst=3	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENgem	<p>How often do you eat vegetables? Please do not include potatoes. Note: by vegetables we mean both raw vegetables (e.g. salad, cucumber, tomatoes) and cooked vegetables.</p> <p>4 Every day 3 At least once a week 2 Less than once a week 1 Never</p>	Everybody	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENgemz1	<p>And how many portions of vegetables do you eat a day? One portion is equivalent to a handful of vegetables.</p> <p>2 digits (number of portions) 0 Half a portion</p>	ENgem=4	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENgemz2	<p>And how many portions of vegetables do you eat a week? One portion is equivalent to a handful of vegetables.</p> <p>2 digits (number of portions)</p>	ENgem=3	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENsaft	<p>How often do you drink fruit and vegetable juices? Please only think about pure juice with a fruit content of 100%. Note: this does not include lemonades, fizzy drinks, fruit nectars or fruit juice-based drinks. In case of fruit juice with mineral water please just estimate and indicate the quantity of pure juice.</p> <p>4 Every day 3 At least once a week 2 Less than once a week 1 Never</p>	Everybody	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
ENsaftz1	<p>And how many glasses of fruit and vegetable juice do you drink a day? By a glass we mean a normal 200ml glass. <b>ENsaftz1</b></p> <p>2 digits (number of glasses) 0 Half a glass</p>	ENsaft=4	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
ENsaftz2	<p>And how many glasses of fruit and vegetable juice do you drink a week? By a glass we mean a normal 200ml glass.</p> <p>2 digits (number of glasses)</p>	ENsaft=3	In addition, variable is one aspect of ENobstgem (portions of fruits, vegetables and max. one glass of juice)
AKauditc1	<p>How often do you drink alcohol, e.g. a glass of wine, beer, cocktail, schnapps or liquor?</p> <p>0 Never 1 Once a month or less often 2 2 - 4 times a month 3 2 - 3 times a week 4 4 times a week or more often</p>	Everybody	In addition, variable is one aspect of AKauditcA (alcohol consumption: sumscore), AKauditcA_k (alcohol consumption: abstinent & moderate & hazardous drinkers), AKbingeA (binge-drinking: never & less than once a month & every month & at least once a week) and AKrisikoA (hazardous alcohol use: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
AKauditc2A	<p>When you drink alcohol, how many alcoholic beverages do you usually drink in a day? By an alcoholic drink we mean a small bottle of beer (0.33l), a small glass of wine (0.125l), a glass of champagne, a double schnapps or bottle of alcopops.</p> <p>0 1 to 2 alcoholic drinks            1 3 to 4            2 5 to 6            3 7 to 9            4 10 and more alcoholic drinks</p>	AKauditc1>0	In addition, variable is one aspect of AKauditcA (alcohol consumption: sumscore), AKauditcA_k (alcohol consumption: abstinent & moderate & hazardous drinkers), AKbingeA (binge-drinking: never & less than once a month & every month & at least once a week) and AKrisikoA (hazardous alcohol use: yes & no)
AKauditc3A	<p>How often do you drink six or more alcoholic drinks on a single occasion, e.g. a dinner or a party? Note: an alcoholic drink is again equivalent to a small bottle of beer (0.33l), a small glass of wine (0.125l), a glass of champagne, a double schnapps or a bottle of alcopops.</p> <p>0 Never            1 Less than once a month            2 Every month            3 Every week            4 Every day or almost every day</p>	AKauditc1>0	In addition, variable is one aspect of AKauditcA (alcohol consumption: sumscore), AKauditcA_k (alcohol consumption: abstinent & moderate & hazardous drinkers), AKbingeA (binge-drinking: never & less than once a month & every month & at least once a week) and AKrisikoA (hazardous alcohol use: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
AKsubj	Overall, how do you assess your alcohol consumption? Do you drink...?  1 Very little 2 A little 3 Moderately 4 A lot 5 Very much	AKauditc1>0	
RCstat	Do you currently smoke - even if it's only occasionally?  1 Yes, daily 2 Yes, occasionally 3 No, not anymore 4 Have never smoked	Everybody	In addition, variable is shown as RCstat_k (smoking status: (occasional) smokers & ex-smokers & lifelong nonsmokers)
RC_a	How old were you when you began to smoke, even if only occasionally? Note: we are interested in the age at the time of starting occasional or regular smoking, not the first time the person tried a cigarette!  3 digits (age)	RCstat<4	
RCex	Has there been a time in the past when you smoked every day?  1 Yes 2 No	RCstat=3	
RCex typ_mx	And what did you use to smoke? You may select more than one answer.  1 Factory-produced cigarettes [RCex typ_m1] 2 Self-rolled or self-filled cigarettes [RCex typ_m2] 3 Cigars, cigarillos [RCex typ_m3] 4 Pipe [RCex typ_m4]	RCstat=3	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(RCexzA_tt)	How many cigarettes did you use to smoke a day on average? Note: 1 packet = 20 cigarettes  3 digits (average number of cigarettes) 0 None/less than one	RCstat=3 and RCex=1 and RCextyp_mx<3	Variable is only shown as one aspect of RCexz (Ex-smoker: number of cigarettes per day)
(RCexzA_ww)	How many cigarettes did you use to smoke a week on average? Note: 1 packet = 20 cigarettes  3 digits (average number of cigarettes)	RCstat=3 and RCex=2 and RCextyp_mx<3	Variable is only shown as one aspect of RCexz (Ex-smoker: number of cigarettes per day)
RCex_a	How old were you when you stopped smoking?  3 digits (age)	RCstat=3	
RCexschwerA	Do you find it very difficult not to smoke?  1 Yes, I find it very difficult 2 No, I don't find it difficult at all	RCstat=3	
RCtyp_mx	And what do you smoke? You may select more than one answer.  1 Factory-produced cigarettes [RCtyp_m1] 2 Self-rolled or self-filled cigarettes [RCtyp_m2] 3 Cigars, cigarillos [RCtyp_m3] 4 Pipe [RCtyp_m4] 5 Water pipe [RCtyp_m5]	RCstat<3	
(RCzA_tt)	How many cigarettes do you currently smoke a day on average? Note: 1 packet = 17 cigarettes  3 digits (average number of cigarettes) 0 None/less than one	RCstat=1 and RCtyp_mx<3	Variable is only shown as one aspect of RCz (Smoker: number of cigarettes per day)
(RCzA_ww)	How many cigarettes do you currently smoke a week on average? Note: 1 packet = 17 cigarettes  3 digits (average number of cigarettes)	RCstat=2 and RCtyp_mx<3	Variable is only shown as one aspect of RCz (Smoker: number of cigarettes per day)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
RCaufh1	Do you want to give up smoking?  3 No, I don't plan to. 2 Yes, I'm thinking about it. 1 Yes, I have a firm intention to do so.	RCstat<3	
RCaufh2A	Have you not smoked for one or more days during the last 12 months because you wanted to stop smoking?  1 Yes 2 Yes, but not for the purpose of giving up 3 No	RCstat<3	
RCpass1	How many days a week are you exposed to tobacco smoke?  1 None 2 1 to 3 days 3 4 to 6 days 4 Every day	RCstat>2	
RCpass2	On any such day, for how many hours are you exposed to tobacco smoke?  1 Less than 1 hour 2 1 to 3 hours 3 3 to 5 hours 4 More than 5 hours	RCstat>2 and RCpass1>1	
RCpassort_mx	And where does this happen? You may select more than one answer. Is it...  1 ... at work? [RCpassort_m1] 2 ... at home? [RCpassort_m2] 3 ... in pubs, cafés, bars or discos? [RCpassort_m3] 4 ... in restaurants? [RCpassort_m4] 5 ... at friends or acquaintances? [RCpassort_m5] 6 ... at other places? [RCpassort_m6]	RCstat>2 and RCpass1>1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IAvszahn12	Have you attended a dental check-up in the last 12 months?  1 Yes 2 No	Everybody	
IAarztA_1z	When did you last consult a doctor, not including dentists?  1 During the last 4 weeks 2 1 to 3 months ago 3 4 to 12 months ago 4 1 to 5 years ago 5 More than 5 years ago	Everybody	In addition, variable is one aspect of IAarztA (visited a doctor within the last 12 months: yes & no)
IAarztz	In the last 12 months, how often have you consulted a general practitioner, i.e. a family doctor or specialist?  0-365 number of visits 0 Never	Everybody	
IAharzt	Do you have a family doctor who you would normally go to first in the event of health problems?  1 Yes 2 No	Everybody	
AUkalzA	On how many days in the last 12 months have you been so ill that you were unable to pursue your usual activities in private or professional life? Note: approximate number of days is sufficient. This includes holidays and weekends!  0-365 number of days 0 None	Everybody	In addition, variable is one aspect of AUka1A (50 or more days of sick leave within the last 12 months: yes & no)
AUarbzA	On how many days were you officially on sick leave? Note: the approximate number of days is sufficient.  0-365 number of days 0 None	Everybody	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IAkhsz	How many nights have you spent in hospital in the last 12 months? Note: we mean as a patient, not as a companion!  0-365 number of nights 0 None	Everybody	In addition, variable is shown as IAKhs (12 month prevalence hospital stay: yes & no)
IAcheck	Attending a so-called health check-up, i.e. a health check for the early identification of cardiovascular disease, kidney or sugar-related illnesses is recommended by health funds from a certain age. Have you already attended such a check-up?  1 Yes 2 No	Age>34	
IAcheck24	Including in the last 2 years?  1 Yes 2 No	Age>34 and IAcheck=1	
IAkfuA	The health funds also recommend attendance at cancer early recognition or cancer screening examinations. Have you already attended such a check-up? Note: in case of women this is often carried out by gynaecologists.  1 Yes 2 No 3 I'm not sure whether this is was what it was.	(Age>19 and sex=2) or (age>34 and sex=1)	
IAkfu12	Including in the last 12 months?  1 Yes 2 No	((Age>19 and sex=2) or (age>34 and sex=1)) and IAkfuA=1	
IAkarzku	Have you had cancer detected at an early-recognition examination?  1 Yes 2 No	KHkarz=1 and IAkfuA=1	



**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IPber	There are no compulsory vaccinations in Germany, but vaccinations are recommended as being particularly important to the health of the population. In the last 5 years, have you been given advice on vaccinations?  1 Yes 2 No	Everybody	
IPber_mx	And who gave you advice? You may select more than one answer.  1 Doctor [IPber_m1] 2 Health fund [IPber_m2] 3 Health authority [IPber_m3] 4 Other [IPber_m4]	IPber=1	
IPinfo1	Do you feel sufficiently well-informed about the use of vaccinations?  1 Yes 2 No	Everybody	
IPinfo2	Do you feel sufficiently well-informed about possible risks of vaccinations?  1 Yes 2 No	Everybody	
IPtet	Have you ever been inoculated against lockjaw, also referred to as tetanus?  1 Yes 2 No	Everybody	In addition, variable is one aspect of IPTetA (lifetime prevalence tetanus inoculation: yes & no)
IPtet2	Inoculation against lockjaw is frequently carried out within the framework of treatment of injuries under first aid. Have you been given such a tetanus vaccination?  1 Yes 2 No	IPtet=2	In addition, variable is one aspect of IPTetA (lifetime prevalence tetanus inoculation: yes & no)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IPtet_lz	How long ago was your last tetanus inoculation?  1 Less than 10 years 2 10 years or more	IPtet=1 or IPtet2=1	In addition, variable is one aspect of Iptet10p (10year prevalence tetanus inoculation)
IPtetgrund	Were you given this last tetanus inoculation...  1 Because of an injury? 2 Because of an upcoming journey? 3 Within the scope of primary immunization or as routine refresher?	IPtet=1 or IPtet2=1	
IPtetort	Where was this inoculation administered?  1 At a family doctor 2 At another general practitioner 3 In emergency admission to a clinic or hospital (due to an injury) 4 By the public health service, e.g. in the health authority or at school 5 Other	IPtet=1 or IPtet2=1	
IPinfl1	Were you given an influenza virus vaccination in the last winter season, i.e. at the turn of 20XX/20XX?  1 Yes 2 No	Everybody	
IPinfl2	And for the current winter season, i.e. since 1 September 20XX, have you been inoculated against flu?  1 Yes 2 No	Everybody	
KHpersa10	Have you suffered from whooping cough in the last 10 years? Note: Medical diagnosis is called pertussis.  1 Yes 2 No	Everybody	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IPper	Have you ever been inoculated against whooping cough?  1 Yes 2 No	Everybody	
IPper_lz	How long ago did you last have a whooping cough inoculation?  1 Less than 10 years 2 10 years or more	IPper=1	
SDerwt0	Are you currently employed? This means any paid activity or activity associated with income, regardless of the timescale? Note: occasional workers, who are not presently in work, are also regarded as employed.  1 Yes 2 No	Everybody	In addition, variable is one aspect of SDerwt (employment status: (1) not employed, (2) previously employed, (3) employed)
(SDerwt2)	Did you used to be employed?  1 Yes 2 No	SDerwt0=2	In addition, variable is one aspect of SDerwt (employment status: (1) not employed, (2) previously employed, (3) employed)
	<i>How frequently do the following burdens at the workplace appear in the course of your activity?</i>	SDerwt0=1	
(ABtragenm)	Lifting and carrying heavy loads of more than 20kg?  1 Frequently 2 Sometimes 3 Rarely 4 Never	SDerwt0=1 and sex=1	Variable is only shown as ABtragen (lifting and carrying heavy loads: frequently & sometimes & rarely & never)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(ABtragenw)	How frequently do the following burdens at the workplace appear in the course of your activity? Lifting and carrying heavy loads of more than 20kg?  1 Frequently 2 Sometimes 3 Rarely 4 Never	SDerwt0=1 and sex=2	Variable is only shown as ABtragen (lifting and carrying heavy loads: frequently & sometimes & rarely & never)
ABhocken	Work in stooped, squatting, kneeling or lying position or work over your head?  1 Frequently 2 Sometimes 3 Rarely 4 Never	SDerwt0=1	
ABumgeb	Environmental burdens, such as noise, cold, heat, wetness, draughts, dirt, smoke, gases, dust or unfavourable lighting?  1 Frequently 2 Sometimes 3 Rarely 4 Never	SDerwt0=1	
ABklima	Adverse effects in the working atmosphere, such as conflicts with work colleagues or supervisors, bullying or excessively strong monitoring?  1 Frequently 2 Sometimes 3 Rarely 4 Never	SDerwt0=1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
ABfrist	<p>Uncertainty in the workplace, e.g. due to fixed-term employment, temporary work, notice of dismissal or impending bankruptcy of the business operation or employer?</p> <p>1 Frequently 2 Sometimes 3 Rarely 4 Never</p>	SDerwt0=1	
ABzeit	<p>Time-related burdens, such as overtime, long working hours, long work journeys?</p> <p>1 Frequently 2 Sometimes 3 Rarely 4 Never</p>	SDerwt0=1	
ABvorgabe	<p>The burden, that all details of your work execution is being prescribed?</p> <p>1 Frequently 2 Sometimes 3 Rarely 4 Never</p>	SDerwt0=1	
ABSchicht	<p>Do you work in shifts or at night-time?</p> <p>1 Frequently 2 Sometimes 3 Rarely 4 Never</p>	SDerwt0=1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
ABschichttypA	Do you work in alternate shifts with night-time work, alternate shifts without night-time work, or exclusively night-time work (without alternate shifts)?  1 Alternate shifts with night-time work 2 Alternate shifts without night-time work 3 Exclusively night-time work (without alternate shifts)	ABschicht=1	
ABsubjB	Do you believe that your health is endangered by your work?  4 Very Strong 3 Strong 2 Moderate 1 Not at all	SDerwt0=1	In addition, variable is shown as ABsubjB_k (health endangered by work: not at all/ moderate & strong/very strong)
AB_jj	How long have you been performing this activity?  0-67 number of years 0 Less than one year	SDerwt0=1	
SDalo	Have you been unemployed in the last 5 years?  1 Yes 2 No	Age<70	
SDaloz	And how often have you been unemployed in the last 5 years?  2 digits (number of unemployment periods)	SDalo=1	
SDalo_mm	How many months was this for in total?  0-60 number of unemployment months 0 Less than 1 month	SDalo=1	
SDalokh	Was your unemployment related to illness in any way?  1 Yes 2 No	SDalo=1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDalogz	Has your health been changed by unemployment? Has it ...  1 ...improved? 2 ...not changed? 3 ...deteriorated?	SDalo=1	
SDalo_zz	Are you currently unemployed?  1 Yes 2 No	SDalo=1	
SDalodau	Have you been unemployed for one year or longer?  1 Yes, 1 year or longer 2 No, less than one year	SDalo_zz=1 and SDalo_mm>11	
SFoslo1A	How many people are so close to you that you can rely on them if you have great personal problems?  1 None 2 1 to 2 3 3 to 5 4 Or more than 5	Everybody	In addition, variable is one aspect of SFosloA (social support: poor & moderate & strong support)
SFoslo2A	How much interest and concern do people show in what you do?  5 A lot 4 Some 3 Neither a lot nor a little 2 Little 1 None	Everybody	In addition, variable is one aspect of SFosloA (social support: poor & moderate & strong support)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SFoslo3A	How easy is it for you to get practical help from neighbours if you should need it?  5 Very easy 4 Easy 3 Possible 2 Difficult 1 Very difficult	Everybody	In addition, variable is one aspect of SFosloA (social support: poor & moderate & strong support)
Mldeutsch	Do you have German citizenship?  1 Yes 2 No	Everybody	In addition, variable is one aspect of Mlmigback (migration background: 2-sided & 1-sided & without migration background); Mlmigback is additionally shown as Mlmigrant (migration status: migrant & non-migrant)
(Mlstaat1_h)	What is your citizenship?	Mldeutsch=2	Variable is only shown as one aspect of Mlmigback (migration background: 2-sided & 1-sided & without migration background); Mlmigback is additionally shown as Mlmigrant (migration status: migrant & non-migrant)



**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(Mlland)	<p>Were you born on the present-day territory of the Federal Republic of Germany?</p> <p>1 Yes 2 No</p>	Everybody	Variable is only shown as Mlmigback (migration background: 2-sided & 1-sided & without migration background); Mlmigback is additionally shown as Mlmigrant (migration status: migrant & non-migrant)
(Mllandvm1)	<p>Was one of your parents, i.e. your mother or father, born outside the borders of present-day Germany?</p> <p>1 Yes 2 No</p>	Mlland=1	Variable is only shown as Mlmigback (migration background: 2-sided & 1-sided & without migration background); Mlmigback is additionally shown as Mlmigrant (migration status: migrant & non-migrant)
(Mllandvm2)	<p>Is this...</p> <p>1 ...your mother? 2 ...your father? 3 ...or both?</p>	Mllandvm1=1	Variable is only shown as Mlmigback (migration background: 2-sided & 1-sided & without migration background); Mlmigback is additionally shown as Mlmigrant (migration status: migrant & non-migrant)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
PAfam1	<p>What is your marital status?</p> <p>1 Married, living with spouse                      2 Married, living separately                      3 Single                      4 Divorced                      5 Widowed</p>	Everybody	In addition, variable is one aspect of PAfamleb (living with a partner: yes & no)
PAfam2	<p>Do you have a steady partner?</p> <p>1 Yes                      2 No</p>	PAfam1>1	In addition, variable is one aspect of PAfamleb (living with a partner: yes & no)
PAfam3	<p>Do you live with your partner?</p> <p>1 Yes                      2 No</p>	PAfam2=1	In addition, variable is one aspect of PAfamleb (living with a partner: yes & no)
(PAhhz)	<p>How many persons live permanently in your household, including yourself?                      Please think about all children living in the household.</p> <p>1-20 number of persons living in household                      1 Living alone</p>	Everybody	Variable is only shown as PAhhBz (number of persons living in household: living alone & 2 & 3 & 4 & 5 and more)
(PAhh18z)	<p>Would you please tell us how many persons in your household are aged 18 or older, including yourself?</p> <p>1-20 number of persons aged from 18 and over</p>	Everybody	Variable is only shown as PAhh18Bz (number of persons aged 18 and over living in household: 1 & 2 & 3 & 4 & 5 and more); PAhh18Bz is additionally shown as PAhh18_k (number of persons aged 18 and over living in household: 1 & 2 & 3 and more)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(SDhine1)	<p>What is the rough level of overall net monthly income for your household? By this we mean the total income of all persons living in your household. Income includes retirement pay or pension. Please include income from government assistance, e.g. housing benefit, child benefit, etc.</p> <p>max 5 digits (net monthly income)</p>	Everybody	Variable is only shown as one aspect of SDeinkzA (net monthly income of household); SDeinkzA is additionally shown as SDhheinkz (monthly imputed income) and as SDaeqeinkz (monthly equivalised income of household)
SDbild1	<p>What is your highest academic qualification?</p> <p>5 School-leaving certificate, general or subject-based higher education entrance qualification            4 Advanced technical certificate/technical college            2 Secondary school/secondary school certificate            3 Secondary modern school in the GDR or grade 10 (before 1965: grade 8)            1 Comprehensive/elementary school            7 Left school with No qualification            8 No qualification yet (student)            6 Other school qualification (e.g. acquired abroad)</p>	Everybody	In addition, variable is shown as SDisced97z (ISCED 1997- classification) and SDisced97eu (ISCED 1997 (EU)-classification) and is one aspect of SDcasminz (CASMIN-classification of educational and occupational qualification) and SDcasmin (low & medium & high education)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(SDbild4A1)	<p>What is your highest professional qualification?</p> <p>7 University or higher education institution  6 University of applied sciences, engineering college  5 Vocational school (school for master trades, technical school, professional or specialist academy)  4 Training at vocational school, business school (vocational academic training)  3 Apprenticeship (professional business training)  1 No qualification, still in professional training (student, trainee, vocational preparatory year, intern)  2 No professional qualification (and not in training)  8 Other training certificate</p>	Everybody	<p>Variable is only shown as one aspect of SDbild4A (highest professional qualification: (1) No qualification, still in pro. training &amp; (2) no pro. qualification &amp; (3) apprenticeship (pro. business training) &amp; (4) vocational academic training &amp; (5) vocational school &amp; (6) bachelor degree (university/college) &amp; (7) (other) degree (university of applied sciences, engineering college) &amp; (8) (other) degree (university, higher education institution &amp; (9) other training certificate); in addition, variable is shown as SDisced97z (ISCED 1997- classification) and SDisced97eu (ISCED 1997 (EU)-classification) and is one aspect of SDcasminz (CASMIN- classification of educational and occupational qualification) and SDcasmin (low &amp; medium &amp; high education)</p>

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(SDbild4A_h)	<p data-bbox="427 240 1189 272">Does this relate to a bachelor's degree or another qualification?</p> <p data-bbox="427 316 667 347">1 Bachelor's degree</p> <p data-bbox="427 352 826 384">2 Other further education degree</p>	<p data-bbox="1406 240 1615 272">SDbild4A1=6 or 7</p>	<p data-bbox="1709 240 2033 1385">Variable is only shown as one aspect of SDbild4A (highest professional qualification: (1) No qualification, still in pro. training &amp; (2) no pro. qualification &amp; (3) apprenticeship (pro. business training) &amp; (4) vocational academic training &amp; (5) vocational school &amp; (6) bachelor degree (university/college) &amp; (7) (other) degree (university of applied sciences, engineering college) &amp; (8) (other) degree (university, higher education institution &amp; (9) other training certificate); in addition, variable is shown as SDisced97z (ISCED 1997- classification) and SDisced97eu (ISCED 1997 (EU)-classification) and is one aspect of SDcasminz (CASMIN- classification of educational and occupational qualification) and SDcasmin (low &amp; medium &amp; high education)</p>

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDet01	Are you currently...  1 ...in full-time employment? 2 ...in part-time employment? 3 ...in occasional or irregular employment?	SDerwt0=1	
SDetstd	In total, how many hours a week are you employed for? Please specify the total number of hours regularly worked.  0-99 number of hours	SDerwt0=1	
SDbest	In what professional position are you mainly employed? Note: if there are several employment relationships, use the one with the largest share in terms of time.  1 Blue-collar worker 2 White-collar worker 3 Civil servant (including regular soldier/judge) 4 Freelance or other self-employed, including farmer 5 Family worker 6 Other	SDerwt>1	
SDarb	Which type of blue-collar worker?  1 Unskilled workers 2 Semi-skilled workers 3 Skilled or specialist workers 4 Foreman, group leader 5 Master craftsman, overseer, unit leader	SDbest=1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDang	<p>What kind of white-collar worker?</p> <p>1 With activity to be performed pursuant to general instruction (e.g. cashier, data entry operator, concierge, etc.)</p> <p>2 With skilled activity, which you complete pursuant to instruction (e.g. contact person, sales staff, technical drawer)</p> <p>3 With autonomous provision in responsible activity or with specialist responsibility for personnel (e.g. academic employee, authorized representative, head of department)</p> <p>4 With extensive management activity and decision-making powers (e.g. director, chief executive, member of the Board of Directors)</p>	SDbest=2	
SDbmt	<p>What kind of a civil servant?</p> <p>1 In lower grade of civil service</p> <p>2 In middle grade of civil service</p> <p>3 In upper grade of civil service</p> <p>4 In senior grade of civil service, judges, professors, etc.</p>	SDbest=3	
SDfbs1	<p>What kind of self-employment?</p> <p>1 Self-employed farmer or cooperative farmer</p> <p>2 Academic in the professions (e.g. doctor, lawyer, tax adviser)</p> <p>3 Self-employed in commerce, trade, handicraft, industry, service provision (including one-man company or member of PGH - craftsman's production co-operative)</p>	SDbest=4	
SDfbs2	<p>Do you have agricultural land of less than 10 ha, of 10 ha or more, or are you a cooperative farmer (formerly LPG - agricultural producers' cooperative)?</p> <p>1 Agricultural land of less than 10 ha</p> <p>2 Agricultural land of 10 ha and more</p> <p>3 Collective farmer (formerly LPG)</p>	SDfbs1=1	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDfbs3	Do you have... 1 ...no employees? 2 ...1 - 4 employees? 3 5 or more employees?	SDfbs1=2	
SDfbs4	Do you have... 1 ...no employees? 2 ...1 - 4 employees? 3 5 or more employees? 4 Are you a member of craftsman's production co-operative?	SDfbs1=3	
(SDhvda)	Who is the main wage earner in your household, i.e. who makes the largest contribution to the household income? 1 You yourself 2 Your partner 3 Your father 4 Your mother 5 Your son 6 Your daughter 7 Your grandfather 8 Your grandmother 9 Another person 10 There is no main wage earner	PAhhz>1	Variable is only shown as SDhvtypB (main wage earner in the household: respondent herself/himself & partner & other & there is no main wage earner)



**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDbesthv	<p>In what professional position is or was the main wage earner mainly employed?                      Note: if there are several employment relationships, use the one with the largest share in terms of time.</p> <p>1 Blue-collar worker                      2 White-collar worker                      3 Civil servant (including regular soldier/judge)                      4 Freelance or other self-employed, including farmer                      5 Family worker                      6 Other</p>	SDhvda>1 and SDhvda<10	
SDarbhv	<p>Which type of blue-collar worker?</p> <p>1 Unskilled workers                      2 Semi-skilled workers                      3 Skilled or specialist workers                      4 Foreman, group leader                      5 Master craftsman, overseer, unit leader</p>	SDbesthv=1	
SDanghv	<p>What kind of white-collar worker?</p> <p>1 With activity to be performed pursuant to general instruction (e.g. cashier, data entry operator, concierge, etc.)                      2 With skilled activity, which you complete pursuant to instruction (e.g. contact person, sales staff, technical drawer)                      3 With autonomous provision in responsible activity or with specialist responsibility for personnel (e.g. academic employee, authorized representative, head of department)                      4 With extensive management activity and decision-making powers (e.g. director, chief executive, member of the Board of Directors)</p>	SDbesthv=2	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDbmthv	<p>What kind of a civil servant?</p> <p>1 In lower grade of civil service                      2 In middle grade of civil service                      3 In upper grade of civil service                      4 In senior grade of civil service, judges, professors, etc.</p>	SDbesthv=3	
SDfbs1hv	<p>What kind of self-employment?</p> <p>1 Self-employed farmer or cooperative farmer                      2 Academic in the professions (e.g. doctor, lawyer, tax adviser)                      3 Self-employed in commerce, trade, handicraft, industry, service provision (including one-man company or member of PGH - craftsman's production co-operative)</p>	SDbesthv=4	
SDfbs2hv	<p>Does or did the main wage earner have agricultural land of less than 10 ha, of 10 ha or more, or are you a cooperative farmer (formerly LPG - agricultural producers' cooperative)?</p> <p>1 Agricultural land of less than 10 ha                      2 Agricultural land of 10 ha and more                      3 Collective farmer (formerly LPG)</p>	SDfbs1hv=1	
SDfbs3hv	<p>Does or did the main wage earner have...</p> <p>1 ...no employees?                      2 ...1 - 4 employees?                      3 5 or more employees?</p>	SDfbs1hv=2	
SDfbs4hv	<p>Does or did the main wage earner have...</p> <p>1 ...no employees?                      2 ...1 - 4 employees?                      3 5 or more employees?                      4 Are you a member of craftsman's production co-operative?</p>	SDfbs1hv=3	

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
(IAgkv)	<p>The next few questions are about your health insurance. Are you insured at one of the following statutory health funds?</p> <p>1 AOK or general public health insurance fund                  2 Substitute health insurance fund, e.g. Barmer, TK, DAK, KKH, Schwäbisch-Gmünder substitute fund                  4 Guilds health insurance fund or IKK                  5 Maritime health insurance fund or miners' insurance                  6 Agricultural health insurance fund                  7 Other [e.g. if privately insured, etc.]</p>	Everybody	Variable is only shown as one aspect of IAkv1 (health insurance: statutory & private & others) and as one aspect of IAkv2 (health insurance: AOK & EKK & BKK & other statutory health insurances& only private & private and state aid & others)
(IApkv)	<p>Do you have private health insurance?</p> <p>1 Yes                  2 No</p>	IAgkv=7	Variable is only shown as one aspect of IAkv1 (health insurance: statutory & private & others) and as one aspect of IAkv2 (health insurance: AOK & EKK & BKK & other statutory health insurances& only private & private and state aid & others)
(IAbeih)	<p>Are you entitled to benefits?</p> <p>1 Yes                  2 No</p>	IApkv=1	Variable is only shown as one aspect of IAkv1 (health insurance: statutory & private & others) and as one aspect of IAkv2 (health insurance: AOK & EKK & BKK & other statutory health insurances& only private & private and state aid & others)

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
IApzvA	Do you have additional private health insurance? By this we don't mean so-called supplementary travel insurance.  1 Yes 2 No	Everybody	
BBbehA	Are you severely disabled?  1 Yes 2 No	Everybody	
<i>Additional variables</i>			
	<i>Index of the socioeconomic status (SES Index)<sup>1</sup></i> - Calculated as a total points score on the basis of the point values assigned in the individual dimensions of education, occupation and income. - The SES Index can have values between 3.0 and 21.0		
SDses_bild	SES-subscore formal education and vocational training  1.0-7.0		
SDses_ber	SES- subscore occupational status  1.0-7.0		
SDses_eink	SES- subscore equivalence net household income  1.0-7.0		
SDses_score	SES: Total points score  3.0-21.0		

<sup>1</sup> Lampert T, Kroll LE, Müters S, Stolzenberg H. Measurement of the socioeconomic status within the German Health Update 2009 (GEDA). Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2013 Jan; 56(1):131-43.

**GEDA Core variables** (included in public use file)

Variable name	Question and answer categories (incl. codes)	Filter	Comments
SDses	Socioeconomic status  1 low 2 medium 3 high		
SDses_q5	Socioeconomic status quintiles  1 first quintile 2 second quintile 3 third quintile 4 fourth quintile 5 fifth quintile		

### Variablenbeschreibungen

Variable	Position	Label	Skala	N	Format	Missing
IDNR	1	ID-Nummer	Nominal	22050	F7	
sex	2	Geschlecht	Nominal	22050	F3	
sexb	3	Geschlecht	Nominal	22050	F3	
age5B	4	Alter (5-Jahres-Gruppen, gestutzt)	Ordinal	22050	F3	
age10B	5	Alter (10-Jahres-Gruppen, gestutzt)	Ordinal	22050	F3	
agegrp1	6	Altersgruppe 1	Ordinal	22050	F3	
agegrp2	7	Altersgruppe 2	Ordinal	22050	F3	
agegrp4	8	Altersgruppe 4	Ordinal	22050	F3	
agegrp6	9	Altersgruppe 6	Ordinal	22050	F3	
agegrp7	10	Altersgruppe 7	Ordinal	22050	F3	
agegrp8	11	Altersgruppe 8	Ordinal	22050	F3	
agegrp9	12	Altersgruppe 9	Ordinal	22050	F3	
agegrp10	13	Altersgruppe 10	Ordinal	22050	F3	
agegrp11	14	Altersgruppe 11	Ordinal	22050	F3	
agegrp12	15	Altersgruppe 12	Ordinal	22050	F3	
ktyp4	16	Siedlungsstruktureller Kreistyp (BBSR)	Ordinal	21892	F3	-99 bis -93
wo1	17	West/Ost mit Berlin zu Ost	Nominal	22050	F3	
reg7	18	Region in 7 Kategorien (Nielsen-Gebiete)	Nominal	22050	F3	
wGEDA10	19	Gewichtungsvar. f. GEDA10 (normiert auf Stichprobenumfang)	Metrisch	22050	F11.6	
wGEDA10pop	20	Gewichtungsvar. f. GEDA10 (Populationsgewicht)	Metrisch	22050	F11.3	
wGEDA0910	21	Gewicht für GEDA09+GEDA10 (normiert auf kombi. Stichprobenumf.)	Metrisch	22050	F11.6	
KHhyp	22	Jemals Hypertonie (Arztdiagnose)	Nominal	22009	F3	-99 bis -93
KHhyp12	23	Hypertonie i.d.l. 12 Mon.	Nominal	6071	F3	-99 bis -93
KHhyp12p	24	Hypertonie (12-Mon-Prävalenz)	Nominal	21947	F3	-99 bis -93
KHhypmedA	25	Hypertonie: Zurzeit Medikamenteneinnahme	Nominal	6125	F3	-99 bis -93
KHhyp12pm	26	Hypertonie (12-Mon-Präv. einschl. Medikation)	Nominal	21971	F3	-99 bis -93
KHkhk	27	Jemals koronare Herzkrankheit (Arztdiagnose)	Nominal	21943	F3	-99 bis -93
KHkhk12	28	Koronare Herzkrankheit i.d.l. 12 Mon. festgestellt	Nominal	1188	F3	-99 bis -93
KHmyo	29	Jemals Herzinfarkt (Arztdiagnose)	Nominal	22028	F3	-99 bis -93
KHmyo12	30	Herzinfarkt i.d.l. 12 Mon. festgestellt	Nominal	539	F3	-99 bis -93
KHkhkmyo	31	Jemals ärztl. diagn. koronare Herzkrankheit o. Herzinfarkt	Nominal	21946	F3	-99 bis -93
KHhi	32	Jemals Herzinsuffizienz (Arztdiagnose)	Nominal	21925	F3	-99 bis -93
KHhi12	33	Herzinsuffizienz i.d.l. 12 Mon.	Nominal	791	F3	-99 bis -93
KHhi12p	34	Herzinsuffizienz (12-Mon-Prävalenz)	Nominal	21908	F3	-99 bis -93
KHsa	35	Jemals Schlaganfall (Arztdiagnose)	Nominal	22023	F3	-99 bis -93
KHsa12	36	Schlaganfall i.d.l. 12 Mon. diagnostiziert	Nominal	427	F3	-99 bis -93
KHdiab	37	Jemals Diabetes (Arztdiagnose)	Nominal	22031	F3	-99 bis -93
KHdiabsw	38	Diabetes: Diagnose in Schwangerschaft	Nominal	839	F3	-99 bis -93
KHdiab12	39	Diabetes i.d.l. 12 Mon.	Nominal	1520	F3	-99 bis -93
KHdiab12p	40	Diabetes (12-Mon-Prävalenz)	Nominal	22018	F3	-99 bis -93
KHab	41	Jemals Asthma bronchiale (Arztdiagnose)	Nominal	22003	F3	-99 bis -93
KHab12	42	Asthma i.d.l. 12 Mon.	Nominal	1943	F3	-99 bis -93
KHab12p	43	Asthma bronchiale (12-Mon-Prävalenz)	Nominal	22000	F3	-99 bis -93
KHkarz	44	Jemals Krebserkrankung (Arztdiagnose)	Nominal	22016	F3	-99 bis -93
KHkarz12	45	Krebserkrankung i.d.l. 12 Mon. erkannt	Nominal	1462	F3	-99 bis -93
KHlipA	46	Jemals erhöhte Blutfette/Cholesterinw. (Arztdiagnose)	Nominal	21922	F3	-99 bis -93
KHlip12A	47	Erhöhte Blutfette/Chol. i.d.l. 12 Mon.	Nominal	5852	F3	-99 bis -93

KHlipmedA	48	Erhöhtes Cholesterin: Zurzeit Medikamenteneinnahme	Nominal	5978	F3	-99 bis -93
KHlip12pA	49	Erhöhte Blutfette/Chol. (12-Mon-Prävalenz)	Nominal	21786	F3	-99 bis -93
KHlip12pMA	50	Erhöhte Blutfette/Chol. (12-Mon-Präv. einschl. Medikation)	Nominal	21800	F3	-99 bis -93
KHcb	51	Jemals chronische Bronchitis (Arztdiagnose)	Nominal	21976	F3	-99 bis -93
KHcb12	52	Chronische Bronchitis i.d.I. 12 Mon.	Nominal	1910	F3	-99 bis -93
KHcb12p	53	Chronische Bronchitis (12-Mon-Prävalenz)	Nominal	21961	F3	-99 bis -93
KHpersa10	54	Keuchhustenerkrankung i.d.I. 10 Jahren	Nominal	21935	F3	-99 bis -93
KHcle	55	Jemals chron. Lebererkrankung (Arztdiagnose)	Nominal	22010	F3	-99 bis -93
KHcle12	56	Chron. Lebererkrankung i.d.I. 12 Mon.	Nominal	423	F3	-99 bis -93
KHcle12p	57	Chron. Lebererkrankung (12-Mon-Prävalenz)	Nominal	21999	F3	-99 bis -93
KHdge	58	Jemals Arthrose (Arztdiagnose)	Nominal	21895	F3	-99 bis -93
KHdge12	59	Arthrose i.d.I. 12 Mon.	Nominal	4541	F3	-99 bis -93
KHdge12p	60	Arthrose (12-Mon-Prävalenz)	Nominal	21853	F3	-99 bis -93
KHos	61	Jemals Osteoporose (Arztdiagnose)	Nominal	9606	F3	-99 bis -93
KHos12	62	Osteoporose i.d.I. 12 Mon.	Nominal	933	F3	-99 bis -93
KHos12p	63	Osteoporose (12-Mon-Prävalenz)	Nominal	9560	F3	-99 bis -93
KHra	64	Jemals Arthritis (Arztdiagnose)	Nominal	21909	F3	-99 bis -93
KHra12	65	Arthritis i.d.I. 12 Mon.	Nominal	1154	F3	-99 bis -93
KHra12p	66	Arthritis (12-Mon-Prävalenz)	Nominal	21900	F3	-99 bis -93
GZmehm1	67	Allg. Gesundheitszustand	Ordinal	22029	F3	-99 bis -93
GZmehm1_k	68	Allg. Gesundheitszustand kateg.	Nominal	22029	F3	-99 bis -93
GZmehm3	69	Chronische Krankheiten	Nominal	22001	F3	-99 bis -93
GZmehm2	70	Einschränkung durch Krankheit	Ordinal	21969	F3	-99 bis -93
GZmehm2_k	71	Einschränkung durch Krankheit (kateg.)	Nominal	21969	F3	-99 bis -93
GZcdc1z	72	CDC körperl. Unwohlsein: Anzahl Tage i.d.I. 4 Wo.	Metrisch	21649	F3	-99 bis -93
GZcdc2z	73	CDC seelische Belastung: Anzahl Tage i.d.I. 4 Wo.	Metrisch	21583	F3	-99 bis -93
GZcdc3z	74	CDC Beeintr. alltägl. Aktivitäten: Anzahl Tage i.d.I. 4 Wo.	Metrisch	21411	F3	-99 bis -93
GZcdc12z	75	CDC körperl. o. seelisch. Unwohlsein: Anzahl Tage i.d.I. 4 Wo. (Unhealthy days)	Metrisch	21310	F3	-99 bis -93
GZcdc2_k	76	CDC seelische Belastung i.d.I. 4 Wo. kateg. (Frequent mental distress)	Ordinal	21583	F3	-99 bis -93
SZdors	77	Mind. 3 Monate lang Rückenschmerzen	Nominal	22021	F3	-99 bis -93
SZdors12	78	3-Monats-Rückenschmerzen i.d.I. 12 Mon.	Nominal	6531	F3	-99 bis -93
SZdors12p	79	3-Monats-Rückenschmerzen (12-Mon-Prävalenz)	Nominal	22011	F3	-99 bis -93
SHseh1	80	Brille oder Kontaktlinsen	Nominal	22047	F3	-99 bis -93
SHseh2_k	81	Sehen: Zeitung lesen (ggf. mit Sehhilfe) kateg.	Nominal	22024	F3	-99 bis -93
SHseh	82	Sehfähigkeit (ggf. mit Sehhilfe)	Ordinal	22043	F3	-99 bis -93
SHseh3_k	83	Sehen: Gesicht in 4 m Entfernen. (ggf. Sehhilfe) kateg.	Nominal	22013	F3	-99 bis -93
SHhoer1	84	Hörgerät	Nominal	22046	F3	-99 bis -93
SHhoer3_k	85	Hören: Gespräch (ggf. mit Hörgerät) kateg.	Nominal	22019	F3	-99 bis -93
BBbehA	86	Schwerbehinderung	Nominal	22022	F3	-99 bis -93
UVarzt	87	Verletz./Vergift. mit ärztl. Versorgung i.d.I. 12 Mon.	Nominal	22036	F3	-99 bis -93
UVtypB_m1	88	Unfalltyp: Unbeabsichtigt (Unfall)	Nominal	2025	F3	-99 bis -93
UVtypB_m2	89	Unfalltyp: Angriff	Nominal	2025	F3	-99 bis -93
UVtypB_m3	90	Unfalltyp: Selbstverletzung	Nominal	2025	F3	-99 bis -93
UVtypB_m4	91	Unfalltyp: Sonstiges	Nominal	2025	F3	-99 bis -93
UVunfall	92	Echtes Unfallopfer i.d.I. 12 Mon.	Nominal	22029	F3	-99 bis -93
UVarztzB	93	Unfallbed. Verletzung/Vergiftung m. ärztl. Versorg.: Anzahl i.d.I. 12 Mon.	Metrisch	1777	F3	-99 bis -93
UVortB_m1	94	Unfallort: Auf dem Weg von/zur Arbeit, Schule, Ausbildungsstätte	Nominal	1764	F3	-99 bis -93

UVortB_m2	95	Unfallort: Am Arbeitsplatz	Nominal	1764	F3	-99 bis -93
UVortB_m3	96	Unfallort: In der Schule bzw. Ausbildungsstätte	Nominal	1764	F3	-99 bis -93
UVortB_m4	97	Unfallort: Im Haus oder in der unmittelbaren Umgebung	Nominal	1764	F3	-99 bis -93
UVortB_m5	98	Unfallort: In der Freizeit auf öffentl. Wegen, Plätzen o. Straßen	Nominal	1764	F3	-99 bis -93
UVortB_m6	99	Unfallort: In der Freizeit an einem anderen Ort	Nominal	1764	F3	-99 bis -93
PKdepA	100	Jemals Depression/depr. Verstimmung (Arzt-/Psychoth.-Diagnose)	Nominal	21994	F3	-99 bis -93
PKdep12A	101	Depression/depr. Verstimmung i.d.l. 12 Mon.	Nominal	3289	F3	-99 bis -93
PKdeparztA	102	Jemals ärztl./psychother. Behandlung wg. Depression/depr. Verstimmung	Nominal	3292	F3	-99 bis -93
PKdep12pA	103	Depression/depr. Verstimmung (12-Mon-Prävalenz)	Nominal	21984	F3	-99 bis -93
SFoslo1A	104	Anzahl nahestehender Menschen bei pers. Problemen	Ordinal	21991	F3	-99 bis -93
SFoslo2A	105	Anteilnahme anderer Menschen an Ihren Aktivitäten	Ordinal	21676	F3	-99 bis -93
SFoslo3A	106	Wie einfach ist es praktische Hilfe von Nachbarn zu erhalten?	Ordinal	21800	F3	-99 bis -93
SFosloA	107	Soziale Unterstützung (Oslo-3 Social Support Scale)	Ordinal	21420	F3	-99 bis -93
LQsf36vt	108	SF-36 V.2: Vitalität i.d.l. 4 Wo.	Metrisch	22016	F9.5	-99,00000
LQsf36mh	109	SF-36 V.2: Psychisches Wohlbefinden i.d.l. 4 Wo.	Metrisch	22014	F9.5	-99,00000
LQsf36vtnorm	110	SF-36 V.2: Vitalität i.d.l. 4 Wo. (normiert auf US 1998)	Metrisch	22016	F9.5	-99,00000
LQsf36mhnorm	111	SF-36 V.2: Psych. Wohlbefinden i.d.l. 4 Wo. (normiert auf US 1998)	Metrisch	22014	F9.5	-99,00000 bis -93,00000
LQsf369a	112	SF-36: Voller Leben i.d.l. 4 Wo.	Ordinal	21668	F3	-99 bis -93
LQsf369b	113	SF-36: Sehr nervös i.d.l. 4 Wo.	Ordinal	21989	F3	-99 bis -93
LQsf369c	114	SF-36: Niedergeschlagen i.d.l. 4 Wo.	Ordinal	21955	F3	-99 bis -93
LQsf369d	115	SF-36: Ruhig und gelassen i.d.l. 4 Wo.	Ordinal	21968	F3	-99 bis -93
LQsf369e	116	SF-36: Voller Energie i.d.l. 4 Wo.	Ordinal	21955	F3	-99 bis -93
LQsf369f	117	SF-36: Entmutigt und traurig i.d.l. 4 Wo.	Ordinal	21952	F3	-99 bis -93
LQsf369g	118	SF-36: Erschöpft i.d.l. 4 Wo.	Ordinal	21935	F3	-99 bis -93
LQsf369h	119	SF-36: Glücklich i.d.l. 4 Wo.	Ordinal	21834	F3	-99 bis -93
LQsf369i	120	SF-36: Müde i.d.l. 4 Wo.	Ordinal	21915	F3	-99 bis -93
IAarztA_lz	121	Letzter Arztbesuch (ohne Zahnarzt)	Ordinal	21996	F3	-99 bis -93
IAarztA	122	Arztbesuch i.d.l. 12 Mon.	Nominal	21996	F3	-99 bis -93
IAarztz	123	Anzahl Arztbesuche i.d.l. 12 Mon. (ohne Zahnarzt)	Metrisch	21640	F3	-99 bis -93
IAharzt	124	Haben Sie einen Hausarzt?	Nominal	22023	F3	-99 bis -93
IAkhsz	125	Anzahl Krankenhausnächte i.d.l. 12 Mon.	Metrisch	22021	F3	-99 bis -93
IAkhs	126	Krankenhausaufenthalt i.d.l. 12 Mon.	Nominal	22021	F3	-99 bis -93
IAvszahn12	127	Zahn-Vorsorgeuntersuchung i.d.l. 12 Mon.	Nominal	22006	F3	-99 bis -93
IAcheck	128	Jemals Teilnahme Gesundheits-Check-Up	Nominal	16529	F3	-99 bis -93
IAcheck24	129	Teilnahme Gesundheits-Check-Up i.d.l. 2 Jahren	Nominal	9169	F3	-99 bis -93
IAkfuA	130	Jemals Inanspruchnahme Krebsfrüherkennung	Nominal	19073	F3	-99 bis -93
IAkfu12	131	Inanspruchnahme KFU i.d.l. 12 Mon.	Nominal	13788	F3	-99 bis -93
IAkarzku	132	Krebs festgestellt bei KFU	Nominal	1232	F3	-99 bis -93
IAkv1	133	Krankenversicherung (GKV vs. privat)	Nominal	22050	F3	-99 bis -93
IAkv2	134	Krankenversicherung aggregiert	Nominal	22050	F3	-99 bis -93
IApvzA	135	Private Zusatzversicherung (keine Reiseversicherung)	Nominal	17956	F3	-99 bis -93
IPber	136	Beratung Schutzimpfungen i.d.l. 5 Jahren	Nominal	21948	F3	-99 bis -93
IPber_m1	137	Beratung Schutzimpfung: Arzt	Nominal	12130	F3	-99 bis -93
IPber_m2	138	Beratung Schutzimpfung: Krankenkasse	Nominal	12130	F3	-99 bis -93
IPber_m3	139	Beratung Schutzimpfung: Gesundheitsamt	Nominal	12130	F3	-99 bis -93
IPber_m4	140	Beratung Schutzimpfung: Sonstiges	Nominal	12130	F3	-99 bis -93
IPber_c	141	Beratung Schutzimpfung von Sonstigen (kodiert)	Nominal	905	F3	-99 bis -93



IPinfo1	142	Ausreichend informiert über Nutzen Schutzimpfungen	Nominal	21694	F3	-99 bis -93
IPinfo2	143	Ausreichend informiert über Risiken Schutzimpfungen	Nominal	21599	F3	-99 bis -93
IPtet	144	Jemals Tetanusimpfung	Nominal	21677	F3	-99 bis -93
IPtet2	145	Tetanusimpfung bei Verletzungsbehandlung (Erste Hilfe)	Nominal	875	F3	-99 bis -93
IPtet_lz	146	Letzte Tetanusimpfung	Ordinal	20540	F3	-99 bis -93
IPtetA	147	Jemals Tetanusimpfung (ggf. bei Verletzungsbeh.)	Nominal	21889	F3	-99 bis -93
IPtet10p	148	Tetanusimpfung i.d.l. 10 Jahren	Nominal	21284	F3	-99 bis -93
IPtetgrund	149	Tetanusimpfgrund letzte Impfung	Nominal	20662	F3	-99 bis -93
IPtetort	150	Tetanusimpfort	Nominal	20754	F3	-99 bis -93
IPinfl1	151	Gripeschutzimpfung vergang. Wintersaison (2008/09)	Nominal	22014	F3	-99 bis -93
IPinfl2	152	Gripeschutzimpfung lfd. Wintersaison (2009/10)	Nominal	22028	F3	-99 bis -93
IPper	153	Jemals Keuchhustenimpfung	Nominal	16115	F3	-99 bis -93
IPper_lz	154	Letzte Keuchhustenimpfung	Ordinal	6387	F3	-99 bis -93
AUkalzA	155	Anzahl Krankheitstage i.d.l. 12 Mon.	Metrisch	21751	F3	-99 bis -93
AUkaIA	156	50 oder mehr Krankheitstage i.d.l. 12 Mon.	Nominal	21751	F3	-99 bis -93
AUarbzA	157	Anzahl Tage offizielle Krankschreibung i.d.l. 12 Mon.	Metrisch	12051	F3	-99 bis -93
KAempfz	158	Anzahl aktive Tage pro Woche (Schwitzen/außer Atem)	Metrisch	21581	F3	-99 bis -93
KAempfdau	159	Dauer pro aktivem Tag	Ordinal	17217	F3	-99 bis -93
KAempf	160	Körp. Aktivität (>= 5 Tage/Wo., mind. 30 Min./Tag)	Nominal	21551	F3	-99 bis -93
KAempf_k	161	Dauer der körperl. Aktivität	Ordinal	21530	F3	-99 bis -93
KAempf_k2	162	Dauer körp. Aktivität >= 2.5 Std./Woche	Ordinal	21530	F3	-99 bis -93
KAspo	163	Sport i.d.l. 3 Mon.	Nominal	22021	F3	-99 bis -93
KAspodauA	164	Sportstunden pro Woche (i.d.l. 3 Mon.)	Ordinal	15363	F3	-99 bis -93
KAspodauA_k	165	Sportliche Aktivität (Std./Woche) i.d.l. 3 Mon.	Ordinal	21994	F3	-99 bis -93
KASubj	166	Achten auf körperliche Bewegung	Ordinal	21945	F3	-99 bis -93
ENobst	167	Obstverzehr	Ordinal	22043	F3	-99 bis -93
ENobstz1	168	Anzahl tägl. Obstportionen	Metrisch	13562	F5.1	-99,0 bis -
ENobstz2	169	Anzahl wöchtl. Obstportionen	Metrisch	6519	F3	-99 bis -93
ENgem	170	Gemüseverzehr	Ordinal	22044	F3	-99 bis -93
ENgemz1	171	Anzahl tägl. Gemüseportionen	Metrisch	9689	F5.1	-99,0 bis -
ENgemz2	172	Anzahl wöchtl. Gemüseportionen	Metrisch	11275	F3	-99 bis -93
ENSaft	173	Obst- und Gemüsesaftverzehr	Ordinal	22007	F3	-99 bis -93
ENSaftz1	174	Anzahl tägl. Saftgläser (Obst und Gemüse)	Metrisch	4106	F5.1	-99,0 bis -
ENSaftz2	175	Anzahl wöchtl. Saftgläser (Obst und Gemüse)	Metrisch	5809	F3	-99 bis -93
ENobstgem	176	Portionen pro Tag: Obst u. Gemüse + max. 1 Glas Saft	Metrisch	21760	F7.1	-99,0 bis -
AKauditc1	177	Audit-C: Häufigkeit alk. Getränke	Ordinal	22024	F3	-99 bis -93
AKauditc2A	178	Audit-C: Anzahl alk. Getränke	Ordinal	18387	F3	-99 bis -93
AKauditc3A	179	Audit-C: Häufigkeit von >= 6 alk. Getränken	Ordinal	18449	F3	-99 bis -93
AKauditcA	180	Audit-C: Alkoholkonsum (Summenscore)	Metrisch	21885	F3	-99 bis -93
AKauditcA_k	181	Audit-C: Alkoholkonsum (kateg.)	Ordinal	21885	F3	-99 bis -93
AKrisikoA	182	Audit-C: Risikokonsum (Alkohol)	Nominal	21885	F3	-99 bis -93
AKbingeA	183	Binge-Drinking (>= 6 alk. Getr. bei einer Gelegenheit)	Ordinal	21980	F3	-99 bis -93
AKsubj	184	Subj. Einschätzung Alkoholkonsum	Ordinal	18468	F3	-99 bis -93
RCstat	185	Rauchen	Ordinal	22045	F3	-99 bis -93
RCstat_k	186	Rauchstatus in 3 Kat.	Nominal	22045	F3	-99 bis -93
RC_a	187	Anfangsalter Rauchen [Jahre]	Metrisch	12065	F3	-99 bis -93
RCex	188	Früher täglich geraucht	Nominal	5870	F3	-99 bis -93
RCextyp_m1	189	Exraucher: Fabrikfertige Zigaretten	Nominal	5874	F3	-99 bis -93
RCextyp_m2	190	Exraucher: Selbstgedrehte/-gestopfte Zigaretten	Nominal	5874	F3	-99 bis -93
RCextyp_m3	191	Exraucher: Zigarren, Zigarillos	Nominal	5874	F3	-99 bis -93

RCextyp_m4	192	Exraucher: Pfeife	Nominal	5874	F3	-99 bis -93
RCexz	193	Exraucher: Anzahl Zigaretten pro Tag	Metrisch	5554	F5.1	-99,0 bis -
RCex_a	194	Endalter Rauchen [Jahre]	Metrisch	5822	F3	-99 bis -93
RCexschwerA	195	Exraucher: Nichtrauchen sehr schwer?	Nominal	5843	F3	-99 bis -93
RCtyp_m1	196	Raucher: Fabrikfertige Zigaretten	Nominal	6285	F3	-99 bis -93
RCtyp_m2	197	Raucher: Selbstgedrehte/-gestopfte Zigaretten	Nominal	6285	F3	-99 bis -93
RCtyp_m3	198	Raucher: Zigarren, Zigarillos	Nominal	6285	F3	-99 bis -93
RCtyp_m4	199	Raucher: Pfeife	Nominal	6285	F3	-99 bis -93
RCtyp_m5	200	Raucher: Wasserpfeife	Nominal	6285	F3	-99 bis -93
RCz	201	Raucher: Anzahl Zigaretten pro Tag	Metrisch	5889	F5.1	-99,0 bis -
RCaufh1	202	Wollen Sie das Rauchen aufgeben?	Nominal	6258	F3	-99 bis -93
RCaufh2A	203	Aufhörversuch i.d.l. 12 Mon.	Nominal	6282	F3	-99 bis -93
RCpass1	204	Tabakrauch ausgesetzt: Tage pro Woche	Ordinal	15681	F3	-99 bis -93
RCpass2	205	Tabakrauch ausgesetzt: Stunden am Tag	Ordinal	4772	F3	-99 bis -93
RCpassort_m1	206	Passivrauchen, Ort: Arbeit	Nominal	4790	F3	-99 bis -93
RCpassort_m2	207	Passivrauchen, Ort: Zu Hause	Nominal	4790	F3	-99 bis -93
RCpassort_m3	208	Passivrauchen, Ort: Kneipen, Cafes, Bars, Discos	Nominal	4790	F3	-99 bis -93
RCpassort_m4	209	Passivrauchen, Ort: Restaurants	Nominal	4790	F3	-99 bis -93
RCpassort_m5	210	Passivrauchen, Ort: Bei Freunden oder Bekannten	Nominal	4790	F3	-99 bis -93
RCpassort_m6	211	Passivrauchen, Ort: An anderen Orten	Nominal	4790	F3	-99 bis -93
ABtragen	212	Arbeitsplatz: Heben und Tragen (M > 20 kg, F > 10 kg)	Ordinal	14210	F3	-99 bis -93
ABhocken	213	Arbeitsplatz: Arbeiten in gebückter u.a. Stellung	Ordinal	14202	F3	-99 bis -93
ABumgeb	214	Arbeitsplatz: Lärm, Kälte, Hitze usw.	Ordinal	14206	F3	-99 bis -93
ABklima	215	Arbeitsplatz: Beeinträchtigungen im Arbeitsklima	Ordinal	14196	F3	-99 bis -93
ABfrist	216	Arbeitsplatz: Belastung durch Unsicherheit	Ordinal	14105	F3	-99 bis -93
ABdruck	217	Arbeitsplatz: Arbeit unter Druck	Ordinal	14199	F3	-99 bis -93
ABzeit	218	Arbeitsplatz: Überstunden, lange Arbeitszeiten/-wege	Ordinal	14194	F3	-99 bis -93
ABvorgabe	219	Arbeitsplatz: Vorgeschriebene Durchführung	Ordinal	14150	F3	-99 bis -93
ABschicht	220	Schichtarbeit	Ordinal	14199	F3	-99 bis -93
ABschichttypA	221	Schichtarbeit (Typ)	Nominal	2298	F3	-99 bis -93
ABsubjB	222	Gesundheitsgefährdung durch die Arbeit (detail.)	Ordinal	14174	F3	-99 bis -93
ABsubjB_k	223	Gesundheitsgefährdung durch die Arbeit (kateg.)	Ordinal	14174	F3	-99 bis -93
AB_jj	224	Dauer der Tätigkeit [Jahre]	Metrisch	14194	F7.1	-99,0 bis -
PAfam1	225	Familienstand	Nominal	22009	F3	-99 bis -93
PAfam2	226	Feste/r Partner/in	Nominal	10315	F3	-99 bis -93
PAfam3	227	Zusammenleben mit Partner/in	Nominal	4527	F3	-99 bis -93
PAfamleb	228	Zusammenleben mit Partner/in (aggregiert)	Nominal	21952	F3	-99 bis -93
PAhhBz	229	Anzahl Personen im Haushalt (ab 5 zusammengefasst)	Metrisch	22006	F3	-99 bis -93
PAhh18Bz	230	Anzahl Personen im Haushalt (ab 18 J.) (ab 5 zusammengefasst)	Metrisch	21921	F3	-99 bis -93
PAhh18_k	231	Anzahl Personen im Haushalt (ab 18 J.) in 3 Kat. (imputiert)	Ordinal	22050	F3	-99 bis -93
PAbmi_k	232	BMI-Gruppierung (aus Selbstangabe)	Ordinal	21591	F3	-99 bis -93
PAbmi_k2	233	BMI-Gruppierung detaill. (aus Selbstangabe)	Nominal	21591	F3	-99 bis -93
PAueber	234	Übergewicht nach WHO (BMI>=25; aus Selbstangabe)	Nominal	21591	F3	-99 bis -93
PAadipos	235	Adipositas nach WHO (BMI>=30; aus Selbstangabe)	Nominal	21591	F3	-99 bis -93
SDses	236	Sozioökonomischer Status (SES)	Ordinal	22023	F3	-99 bis -93
SDses_q5	237	Quintile des SES-Scores	Metrisch	22023	F3	-99 bis -93
SDses_score	238	SES: Gesamtscore	Metrisch	22023	F6.1	-99,0 bis -
SDses_eink	239	SES-Subscore: Einkommen	Metrisch	22050	F5.1	-99,0 bis -
SDses_bild	240	SES-Subscore: Bildung/Ausbildung	Metrisch	22023	F5.1	-99,0 bis -
SDses_ber	241	SES-Subscore: Berufl. Stellung	Metrisch	22050	F5.1	-99,0 bis -

SDeinkzA	242	Monatl. Haushaltsnettoeinkommen [€]	Metrisch	16366	F5	-99 bis -93
SDhheinkz	243	Monatl. Haushaltsnettoeinkommen (imputiert) [€]	Metrisch	22050	F5	-99 bis -93
SDaeqeinkz	244	Äquivalenzeinkommen (imputiert) [€]	Metrisch	22050	F5	-99 bis -93
SDbild1	245	Höchster Schulabschluss	Nominal	21963	F3	-99 bis -93
SDbild4A	246	Höchster beruflicher Abschluss	Nominal	21638	F3	-99 bis -93
SDisc97z	247	ISCED (1997) - Klassifikation	Ordinal	22023	F3	-99 bis -93
SDisc97eu	248	ISCED (1997) - Bildungsgruppen (EU)	Ordinal	22023	F3	-99 bis -93
SDcasminz	249	CASMIN - Klassifikation	Ordinal	22023	F3	-99 bis -93
SDcasmin	250	CASMIN - Bildungsgruppen	Ordinal	22023	F3	-99 bis -93
SDbest	251	Berufliche Stellung (Befragte/r)	Nominal	20264	F3	-99 bis -93
SDarb	252	Arbeiterstatus (Befragte/r)	Nominal	3411	F3	-99 bis -93
SDang	253	Angestelltenstatus (Befragte/r)	Nominal	11712	F3	-99 bis -93
SDbmt	254	Beamtenstatus (Befragte/r)	Nominal	1484	F3	-99 bis -93
SDfbs1	255	Selbständigenstatus (Befragte/r)	Nominal	2363	F3	-99 bis -93
SDfbs2	256	Landwirt. genutzte Fläche/Genossenschaftsbauer (Befragte/r)	Nominal	107	F3	-99 bis -93
SDfbs3	257	Akademiker (Befragte/r): Anzahl Mitarbeiter	Ordinal	552	F3	-99 bis -93
SDfbs4	258	Selbstständig (Befragte/r): Anzahl Mitarbeiter	Nominal	1689	F3	-99 bis -93
SDhvtypB	259	Hauptverdiener im Haushalt (kateg.)	Nominal	16777	F3	-99 bis -93
SDbesthv	260	Berufliche Stellung (Hauptverdiener)	Nominal	7073	F3	-99 bis -93
SDarbhv	261	Arbeiterstatus (Hauptverdiener)	Nominal	1331	F3	-99 bis -93
SDanghv	262	Angestelltenstatus (Hauptverdiener)	Nominal	3489	F3	-99 bis -93
SDbmvhv	263	Beamtenstatus (Hauptverdiener)	Nominal	769	F3	-99 bis -93
SDfbs1hv	264	Selbständigenstatus (Hauptverdiener)	Nominal	1008	F3	-99 bis -93
SDfbs2hv	265	Landwirt. genutzte Fläche/Genossenschaftsbauer	Nominal	74	F3	-99 bis -93
SDfbs3hv	266	Akademiker (Hauptverdiener): Anzahl Mitarbeiter	Ordinal	240	F3	-99 bis -93
SDfbs4hv	267	Selbstständiger (Hauptverdiener): Anzahl Mitarbeiter	Nominal	677	F3	-99 bis -93
SDalo	268	Arbeitslosigkeit (subj.) i.d.l. 5 Jahren	Nominal	19507	F3	-99 bis -93
SDaloz	269	Arbeitslosigkeit: Häufigkeit i.d.l. 5 Jahren	Metrisch	3440	F3	-99 bis -93
SDalo_mm	270	Arbeitslos: Monate insgesamt i.d.l. 5 Jahren	Nominal	3361	F7.1	-99,0 bis -
SDalokh	271	Arbeitslosigkeit wegen Erkrankung	Nominal	3540	F3	-99 bis -93
SDalogz	272	Gesundheit durch Arbeitslosigkeit verändert	Ordinal	3517	F3	-99 bis -93
SDalo_zz	273	Derzeit arbeitslos (subj.)	Ordinal	3547	F3	-99 bis -93
SDalodau	274	Derz. Arbeitslosigkeit (subj.) 1 Jahr oder länger	Ordinal	3483	F3	-99 bis -93
SDerwt0	275	Derzeit erwerbstätig	Nominal	22030	F3	-99 bis -93
SDerwt	276	Erwerbstätigkeitsstatus	Nominal	22037	F3	-99 bis -93
SDet01	277	Grad Erwerbstätigkeit	Nominal	14151	F3	-99 bis -93
SDetstd	278	Anzahl Stunden pro Woche erwerbstätig	Metrisch	13895	F6.1	-99,0 bis -
Mlmigrant	279	Migrantenstatus	Nominal	22047	F3	-99 bis -93
Mlmigback	280	Migrationshintergrund	Ordinal	22047	F3	-99 bis -93
Mldeutsch	281	Deutsche Staatsangehörigkeit	Nominal	22043	F3	-99 bis -93

Variablenwerte

Wert		Label	
sex	1	Männlich	
	2	Weiblich	
	99	Gesamt	
sexb	-.97 <sup>a</sup>	Nicht erhoben (<18 Jahre)	
	1	Männer	
	2	Frauen	
	99	Gesamt	
	age5B	1	18-24 J.
		2	25-29 J.
3		30-34 J.	
4		35-39 J.	
5		40-44 J.	
6		45-49 J.	
7		50-54 J.	
8		55-59 J.	
9		60-64 J.	
10		65-69 J.	
11		70-74 J.	
12		75-79 J.	
13		80-84 J.	
14		85+	
99	Gesamt		
age10B	1	18-29 J.	
	2	30-39 J.	
	3	40-49 J.	
	4	50-59 J.	
	5	60-69 J.	
	6	70-79 J.	
	7	80+	
99	Gesamt		
agegrp1	1	18-39 J.	
	2	40-59 J.	
	3	60+	
99	Gesamt		
agegrp2	1	18-64 J.	
	2	65+	
	99	Gesamt	
agegrp4	1	18-29 J.	
	2	30-39 J.	
	3	40-49 J.	
	4	50-59 J.	
	5	60-69 J.	
	6	70-79 J.	
	7	80+	
99	Gesamt		
agegrp6	1	18-29 J.	
	2	30-39 J.	

	3	40-49 J.
	4	50-59 J.
	5	60-69 J.
	6	70+
	99	Gesamt
agegrp7	1	18-24 J.
	2	25-29 J.
	3	30-39 J.
	4	40-49 J.
	5	50-59 J.
	6	60-69 J.
	7	70+
	99	Gesamt
agegrp8	1	18-29 J.
	2	30-44 J.
	3	45-64 J.
	4	65+
	99	Gesamt
agegrp9	1	18-24 J.
	2	25-39 J.
	3	40-54 J.
	4	55-69 J.
	5	70+
	99	Gesamt
agegrp10	1	18-24 J.
	2	25-34 J.
	3	35-44 J.
	4	45-54 J.
	5	55-64 J.
	6	65-69 J.
	7	70+
	99	Gesamt
agegrp11	1	18-24 J.
	2	25-39 J.
	3	40-49 J.
	4	50-59 J.
	5	60-69 J.
	6	70+
	99	Gesamt
agegrp12	1	18-29 J.
	2	30-44 J.
	3	45-64 J.
	4	65-79 J.
	5	80+
	99	Gesamt
ktyp4	1	Kreisfreie Großstädte
	2	Städtische Kreise
	3	Ländliche Kreise mit Verdichtungsansätzen
	4	Dünn besiedelte ländliche Kreise
wo1	1	West

reg7	2	Ost (inkl. Berlin)
	1	Nordwest
	2	NRW
	3	Mitte
	4	Ost (Nord)
	5	Ost (Süd)
	6	Bayern
KHhyp	7	BaWü
	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
KHhyp12	1	Ja
	2	Nein
	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Hypertonie)
KHhyp12p	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
	1	Ja
	2	Nein
KHhypmedA	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Hypertonie)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
KHhyp12pm	2	Nein
	1	Ja
	2	Nein
KHkhk	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHkhk12	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Angina pectoris)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
KHmyo	2	Nein
	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
KHmyo12	2	Nein
	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Herzinfarkt)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
KHkhkmyo	1	Ja
	2	Nein

KHhi	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
KHhi12	2	Nein
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
KHhi12p	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Herzinsuffizienz)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
	KHsa	1
2		Nein
-99 <sup>a</sup>		Keine Angabe
KHsa12	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
	-96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Schlaganfall)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
KHdiab	1	Ja
	2	Nein
	-99 <sup>a</sup>	Keine Angabe
KHdiabsw	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (männlich)
	-96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Diabetes oder Diagnosealter >50)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
KHdiab12	2	Nein
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Diabetes)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
KHdiab12p	1	Ja
	2	Nein
KHab	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
KHab12	2	Nein
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein diagn. Asthma)
KHab12	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja

	2	Nein
KHab12p	1	Ja
	2	Nein
KHkarz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHkarz12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Krebskr.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHlipA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja (auch wenn grenzwertig erhöht)
	2	Nein
KHlip12A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine erhöhten Blutfette/Chol.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHlipmedA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine erhöhten Blutfette/Chol.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHlip12pA	1	Ja
	2	Nein
KHlip12pmA	1	Ja
	2	Nein
KHcb	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHcb12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. chron. Bronchitis)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHcb12p	1	Ja
	2	Nein
KHpersa10	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHcle	-99 <sup>a</sup>	Keine Angabe



	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHcle12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein diagn. chron. Lebererkr.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHcle12p	1	Ja
	2	Nein
KHdge	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHdge12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Arthrose)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHdge12p	1	Ja
	2	Nein
KHos	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (<50 Jahre)
	1	Ja
	2	Nein
KHos12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (<50 Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Osteoporose)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHos12p	-97 <sup>a</sup>	Nicht erhoben (<50 Jahre)
	1	Ja
	2	Nein
KHra	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KHra12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Arthritis)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
KHra12p	1	Ja
	2	Nein

GZmehm1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Sehr gut
	2	Gut
	3	Mittelmäßig
GZmehm1_k	4	Schlecht
	5	Sehr schlecht
	1	Sehr gut/gut
GZmehm3	2	Mittelmäßig/schlecht/sehr schlecht
	-99 <sup>a</sup>	Keine Angabe
GZmehm2	-98 <sup>a</sup>	Weiß nicht
	1	Ja
GZmehm2_k	2	Nein
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Erheblich eingeschränkt
GZmehm2_k	2	Eingeschränkt, aber nicht erheblich
	3	Nicht eingeschränkt
GZcdc1z	1	Eingeschränkt
	2	Nicht eingeschränkt
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
GZcdc2z	0	An keinem Tag
	30	Jeden Tag/die ganze Zeit
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
GZcdc3z	0	An keinem Tag
	30	Jeden Tag/die ganze Zeit
	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
GZcdc2_k	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	An keinem Tag
	30	Jeden Tag/die ganze Zeit
	1	0 bis 13 Tage
SZdors	2	14 Tage oder mehr
	-99 <sup>a</sup>	Keine Angabe
SZdors12	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Rückenschmerzen)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
SHseh1	1	Ja
	2	Nein
SHseh1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja

	2	Nein
SHseh2_k	1	Mindestens leichte Schwierigkeiten
	2	Keine Schwierigkeiten
SHseh	1	Ohne Schwierigkeiten
	2	Leichte Schwierigkeiten
	3	Große Schwierigkeiten
	4	Gar nicht
SHseh3_k	1	Mindestens leichte Schwierigkeiten
	2	Keine Schwierigkeiten
SHhoer1	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
SHhoer3_k	1	Mindestens leichte Schwierigkeiten
	2	Keine Schwierigkeiten
BBbehA	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
UVarzt	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
UVtypB_m1	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine Verletz./Vergift. i.d.l. 12 Mon.)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
UVtypB_m2	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine Verletz./Vergift. i.d.l. 12 Mon.)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
UVtypB_m3	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine Verletz./Vergift. i.d.l. 12 Mon.)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
UVtypB_m4	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (keine Verletz./Vergift. i.d.l. 12 Mon.)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
UVunfall	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (Verneinung Eingangsfrage)

	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
UVarztB	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Unfälle i.d.l. 12 Mon.)
UVortB_m1	-95 <sup>a</sup>	Eingangsfrage wn/kA
	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
UVortB_m2	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
UVortB_m3	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
UVortB_m4	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
UVortB_m5	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
UVortB_m6	-96 <sup>a</sup>	Filterbed. fehlend (kein Unfall i.d.l. 12 Mon.)
	0	0
	1	Ja
PKdepA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
PKdep12A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Depression)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
PKdeparztA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine diagn. Depression)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
PKdep12pA	1	Ja
	2	Nein
SFoslo1A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Keine
	2	1 bis 2
	3	3 bis 5
	4	Oder mehr als 5
SFoslo2A	-99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	1	Kein Interesse und Anteilnahme
	2	Wenig
	3	Weder viel noch wenig
	4	Viel
	5	Sehr viel
SFoslo3A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Sehr schwierig
	2	Schwierig
	3	Möglich
	4	Einfach
	5	Sehr einfach
SFosloA	1	Geringe Unterstützung
	2	Mittlere Unterstützung
	3	Starke Unterstützung
LQsf369a	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369b	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369c	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369d	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369e	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten

	5	Nie
LQsf369f	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369g	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369h	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
LQsf369i	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Immer
	2	Meistens
	3	Manchmal
	4	Selten
	5	Nie
IAarztA_Iz	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Während der letzten 4 Wochen
	2	Vor 1 Monat bis zu 3 Monaten
	3	Vor 4 bis zu 12 Monaten
	4	Vor 1 Jahr bis zu 5 Jahren
	5	Vor mehr als 5 Jahren
IAarztA	1	Ja
	2	Nein
IAarztz	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
IAharzt	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IAkhsz	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
IAkhs	1	Ja
	2	Nein
IAvszahn12	-.99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IAcheck	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (<35 Jahre)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
	3	Nicht sicher, ob es das war
IAcheck24	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (<35 Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (kein Check-Up)
	-95 <sup>a</sup>	Eingangsfrage wn/kA/unsicher
	1	Ja
	2	Nein
IAkfuA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (Frau <20 J., Mann <35 J.)
	1	Ja
	2	Nein
	3	Bin nicht sicher, ob es das war
IAkfu12	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (Frau <20 J., Mann <35 J.)
	-96 <sup>a</sup>	Filterbed. fehlend (keine KFU-Teilnahme)
	-95 <sup>a</sup>	Eingangsfrage wn/kA/unsicher
	1	Ja
	2	Nein
IAkarzkfu	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (Frau <20 J., Mann <35 J.)
	-96 <sup>a</sup>	Filterbed. fehlend (keine Krebserkr od. keine KFU)
	-95 <sup>a</sup>	Eingangsfrage(n) wn/kA
	1	Ja
	2	Nein
IAkv1	1	GKV
	2	Privat
	3	Rest
IAkv2	1	AOK
	2	EKK
	3	BKK
	4	Sonstige GKV
	5	Nur Privat
	6	Privat+Beihilfe
	7	Rest
IApzvA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine GKV)

	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
IPber	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPber_m1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Beratung i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
IPber_m2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Beratung i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
IPber_m3	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Beratung i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
IPber_m4	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Beratung i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
IPber_c	1	Arbeitgeber/Schule
	2	Institute (Tropeninstitut, RKI ink. Stiko)
	3	Fachmedien
	4	Publikumsmedien
	5	Apotheke
	6	Selbstberatung
	7	Bekannte, Freunde, Familie
	8	Alternativmed. Beratung
	9	Andere(s) medizinische Einrichtungen/Personal
	10	Sonstiges
IPinfo1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPinfo2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPtet	-99 <sup>a</sup>	Keine Angabe



	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPtet2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Tetanusimpfung bejaht)
	1	Ja
	2	Nein
IPtet_lz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Tetanusimpfung)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Weniger als 10 Jahre
	2	10 Jahre oder länger
IPtetA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPtet10p	1	Ja
	2	Nein
IPtetgrund	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Tetanusimpfung)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Verletzung
	2	Anstehende Reise
	3	Grundimmunisierung/routinemäßige Auffrischung
IPtetort	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Tetanusimpfung)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Hausarzt/Hausärztin
	2	Anderer niedergelassener Arzt/Ärztin
	3	Notaufnahme Klinik (wg. einer Verletzung)
	4	Öffentlicher Gesundheitsdienst
	5	Sonstiges
IPinf1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPinf2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Interviewzeitpkt. April - Aug)
	1	Ja
	2	Nein
IPper	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
IPper_lz	-99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (keine Keuchhustenimpfung)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Weniger als 10 Jahre
	2	10 Jahre oder länger
AUkalzA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
AUkaIA	1	Ja
	2	Nein
AUarbZA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (nicht AU i.d.I. 12 Mon.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
KAempFz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
KAempfdau	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (< 1 Tag/Wo körperl. aktiv)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Weniger als 10 Minuten
	2	10 bis unter 30 Minuten
	3	30 Minuten bis unter 60 Minuten
	4	60 Minuten und mehr
KAempF	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KAempF_k	1	< 2,5 Std./Wo.
	2	>= 2,5 Std./Wo. an < 5 Tagen
	3	>= 5 Tage/Wo., mind. 30 Min./Tag
KAempF_k2	1	Ja
	2	Nein
KAspo	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
KAspodauA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Sport i.d.I. 3 Mon.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Bis zu 1 Stunde
	2	1 bis 2 Stunden
	3	2 bis 4 Stunden
	4	Mehr als 4 Stunden
KAspodauA_k	1	Kein Sport
	2	Bis zu 2 Stunden
	3	2 bis zu 4 Stunden
	4	Mehr als 4 Stunden
KASubj	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht

	1	Gar nicht
	2	Wenig
	3	Teils/teils
	4	Stark
	5	Sehr stark
ENobst	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Nie
	2	Seltener als 1 Mal pro Woche
	3	Mindestens einmal pro Woche
	4	Jeden Tag
ENobstz1	-.99,0 <sup>a</sup>	Keine Angabe
	-.98,0 <sup>a</sup>	Weiß nicht
	-.96,0 <sup>a</sup>	Filterbed. fehlend (kein tägl. Obstverzehr)
	-.95,0 <sup>a</sup>	Eingangsfrage wn/kA
	-.94,0 <sup>a</sup>	Missing gesetzt (Extremwert)
ENobstz2	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (kein wöchentl. Obstverzehr)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
ENgem	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Nie
	2	Seltener als 1 Mal pro Woche
	3	Mindestens einmal pro Woche
	4	Jeden Tag
ENgemz1	-.99,0 <sup>a</sup>	Keine Angabe
	-.98,0 <sup>a</sup>	Weiß nicht
	-.96,0 <sup>a</sup>	Filterbed. fehlend (kein tägl. Gemüseverzehr)
	-.95,0 <sup>a</sup>	Eingangsfrage wn/kA
	-.94,0 <sup>a</sup>	Missing gesetzt (Extremwert)
ENgemz2	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (kein wöchentl. Gemüseverzehr)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
ENsaft	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	1	Nie
	2	Seltener als 1 Mal pro Woche
	3	Mindestens einmal pro Woche
	4	Jeden Tag
ENsaftz1	-.99,0 <sup>a</sup>	Keine Angabe
	-.98,0 <sup>a</sup>	Weiß nicht
	-.96,0 <sup>a</sup>	Filterbed. fehlend (kein tägl. Saftverzehr)
	-.95,0 <sup>a</sup>	Eingangsfrage wn/kA
ENsaftz2	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (kein wöchentl. Saftverzehr)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
AKauditc1	-.99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	0	Nie
	1	1 Mal pro Monat o. seltener
	2	2 - 4 Mal pro Monat
	3	2 - 3 Mal die Woche
	4	4 Mal die Woche o. öfter
AKauditc2A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Nie-Trinker)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	1 bis 2
	1	3 bis 4
	2	5 bis 6
	3	7 bis 9
	4	10 und mehr
AKauditc3A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Nie-Trinker)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	Nie
	1	Seltener als 1 Mal im Monat
	2	Jeden Monat
	3	Jede Woche
	4	Jeden Tag oder fast jeden Tag
AKauditcA_k	1	Nie-Trinker
	2	Moderat
	3	Risikokonsum
AKrisikoA	1	Ja
	2	Nein
AKbingeA	1	Nie
	2	Seltener als 1 Mal im Monat
	3	Jeden Monat
	4	Mindestens jede Woche
AKsubj	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Nie-Trinker)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Sehr wenig
	2	Wenig
	3	Mäßig
	4	Viel
	5	Sehr viel
RCstat	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja, täglich
	2	Ja, gelegentlich
	3	Nein, nicht mehr
	4	Habe noch nie geraucht
RCstat_k	1	(Gelegenheits-) Raucher
	2	Exraucher

	3	Nieraucher
RC_a	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Nieraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
RCex	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
RCextyp_m1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCextyp_m2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCextyp_m3	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCextyp_m4	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCexz	-99,0 <sup>a</sup>	Keine Angabe
	-98,0 <sup>a</sup>	Weiß nicht
	-96,0 <sup>a</sup>	Filterbed. fehlend (kein Ex(-Zigaretten)-Raucher)
	-95,0 <sup>a</sup>	Eingangsfrage wn/kA
	,0	Weniger als eine
RCex_a	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
RCexschwerA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Extraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja, es fällt mir sehr schwer.
	2	Nein, es fällt mir gar nicht schwer.

RCtyp_m1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCtyp_m2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCtyp_m3	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCtyp_m4	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCtyp_m5	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCz	-99,0 <sup>a</sup>	Keine Angabe
	-98,0 <sup>a</sup>	Weiß nicht
	-96,0 <sup>a</sup>	Filterbed. fehlend (kein (Zigaretten-)Raucher)
	-95,0 <sup>a</sup>	Eingangsfrage wn/kA
	,0	Weniger als eine
RCaufh1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja, habe die feste Absicht dazu.
	2	Ja, denke darüber nach.
3	Nein, habe es nicht vor.	
RCaufh2A	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (kein Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Ja, aber nicht wegen Aufhören
3	Nein	
RCpass1	-99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Keinen Tag
	2	1 bis 3 Tage
	3	4 bis 6 Tage
	4	Täglich
RCpass2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Weniger als 1 Stunde
	2	1 bis 3 Stunden
	3	3 bis 5 Stunden
	4	Mehr als 5 Stunden
RCpassort_m1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCpassort_m2	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCpassort_m3	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCpassort_m4	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCpassort_m5	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0
	1	Ja
RCpassort_m6	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (Raucher bzw. kein Passivraucher)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	0	0

	1	Ja
ABtragen	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABhocken	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABumgeb	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABklima	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABfrist	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABdruck	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABzeit	-.99 <sup>a</sup>	Keine Angabe



	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABvorgabe	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABschicht	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Nie
	2	Selten
	3	Manchmal
	4	Häufig
ABschichttypA	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (nicht erwerbst./keine häuf. Schichtarb.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Wechselschicht mit Nachtarbeit
	2	Wechselschicht ohne Nachtarbeit
	3	Ausschließlich Nachtarbeit (ohne Wechselschicht)
ABsubjB	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Gar nicht
	2	Mäßig
	3	Stark
	4	Sehr stark
ABsubjB_k	1	Gar nicht/ mäßig
	2	Stark/ sehr stark
AB_jj	-99,0 <sup>a</sup>	Keine Angabe
	-98,0 <sup>a</sup>	Weiß nicht
	-96,0 <sup>a</sup>	Filterbed. fehlend (derz. nicht erwerbstätig)
	-95,0 <sup>a</sup>	Eingangsfrage wn/kA
PAfam1	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Verheiratet, mit Ehepartner zusammenlebend
	2	Verheiratet, getrennt lebend
	3	Ledig
	4	Geschieden

	5	Verwitwet
PAfam2	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (verh. & zus.lebend)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
PAfam3	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (verh./zus. o. kein Partner)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
PAfamleb	1	Ja
	2	Nein
PAhhBz	-.99 <sup>a</sup>	Keine Angabe
	1	Allein lebend
	5	5 und mehr
PAhh18Bz	5	5 und mehr
PAhh18_k	-.97 <sup>a</sup>	Nicht berechnet (<18 Jahre)
	3	3 oder mehr
PAbmi_k	1	Untergewicht (BMI < 18,5)
	2	Normalgewicht (18,5 <= BMI < 25)
	3	Übergewicht (25 <= BMI < 30)
	4	Adipositas (BMI >= 30)
PAbmi_k2	1	Untergewicht (BMI < 18,5)
	2	Normalgewicht (18,5 <= BMI < 25)
	3	Übergewicht (25 <= BMI < 30)
	4	Adipositas Grad I (30 <= BMI < 35)
	5	Adipositas Grad II (35 <= BMI < 40)
	6	Adipositas Grad III (BMI >= 40)
PAueber	1	Ja
	2	Nein
PAadipos	1	Ja
	2	Nein
SDses	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	1	Niedrig
	2	Mittel
	3	Hoch
SDses_q5	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	1	1. Quintil
	2	2. Quintil
	3	3. Quintil
	4	4. Quintil
	5	5. Quintil
SDeinkZA	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
SDbild1	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)

	-.96 <sup>a</sup>	Filterbed. fehlend (kein Partner im HH)
	1	Haupt-/Volksschule
	2	Realschule/ Mittlere Reife
	3	POS bzw. 10. Klasse (vor 1965: 8. Kl.)
	4	Fachhochschulreife / Fachoberschule
	5	Abitur, allgem. oder fachgeb. Hochschulreife/ EOS
	6	Anderer Schulabschluss (z.B. im Ausland)
	7	Schule beendet ohne Abschluss
	8	Noch keinen Abschluss (Schüler)
SDbild4A	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (noch in Schulausbildung/kein Partner im HH)
	1	Noch in berufl. Ausbildung
	2	Keinen Berufsabschluss (und nicht in Ausbildung)
	3	Lehre (beruflich-betriebliche Ausbildung)
	4	Ausb. an Berufsfach-/Handelsschule (berufl.-schul. Ausb.)
	5	Fachschule/Technikerschule/Fachakademie usw.
	6	Bachelor an (Fach)Hochschule
	7	(Anderer) Abschluss an Fachhoch/Ingenieurschule
	8	(Anderer) Abschluss an Universität, Hochschule
	9	Anderer Ausbildungsabschluss
SDisc97z	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (lebt nicht im HH)
	1	1
	2	2
	3	3B
	4	3A
	5	4A
	6	5B
	7	5A
	8	6
SDisc97eu	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	1	Niedrig
	2	Mittel
	3	Hoch
SDcasminz	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (lebt nicht im HH)
	1	1a
	2	1b
	3	1c
	4	2b
	5	2a
	6	2c-gen
	7	2c-voc
	8	3a
	9	3b
SDcasmin	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (lebt nicht im HH)
	1	Einfache Bildung

	2	Mittlere Bildung
	3	Höhere Bildung
SDbest	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw.)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Arbeiter
	2	Angestellter
	3	Beamter (auch Zeitsoldat/Richter)
	4	Freiberuflich oder Selbständig
	5	Mithelfender Familienangehöriger
	6	Sonstiges
SDarb	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein Arbeiter)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ungelernter Arbeiter
	2	Angelernter Arbeiter
	3	Gelernter oder Facharbeiter
	4	Vorarbeiter, Kolonnenführer
	5	Meister, Polier, Brigadier
SDang	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein Angestellter)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Mit ausführender Tätigkeit
	2	Mit qualifizierter Tätigkeit
	3	Mit verantwortlicher Tätigkeit
	4	Mit umfassender Führungstätigkeit
SDbmt	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein Beamter)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Einfacher Dienst
	2	Mittlerer Dienst
	3	Gehobener Dienst
	4	Höherer Dienst
SDfbs1	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-.96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein Selbständiger)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Selbständiger Landwirt/Genossenschaftsbauer
	2	Akademiker in freiem Beruf
	3	Selbständig im Handel, Gewerbe, etc.
SDfbs2	-.99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein selbst. Landwirt)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Unter 10 ha
	2	Von 10 ha und mehr
	3	Genossenschaftsbauer (ehem. LPG)
SDfbs3	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein freiber. Akademiker)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Keine weiteren Mitarbeiter
	2	1-4 Mitarbeiter
	3	5 oder mehr Mitarbeiter
SDfbs4	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (18+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nie erwerbstätig usw./kein sonst.
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Keine weiteren Mitarbeiter
	2	1 - 4 Mitarbeiter
	3	5 oder mehr Mitarbeiter
	4	PGH-Mitglied
SDhvtypB	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Sie selbst
	2	Partner/Ihre Partnerin
	3	Andere Person
	4	Es gibt keinen Hauptverdiener
SDbesthv	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt/Befragter = HV)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Arbeiter
	2	Angestellter
	3	Beamter (auch Zeitsoldat/Richter)
	4	Freiberuflich oder sonstige/r Selbständige/r
	5	Mithelfende/r Familienangehörige/r
	6	Auszubildender, Praktikant oder Volontär
	7	Wehr-/ Zivildienst, freiwilliges soziales Jahr
	8	Sonstiges
SDarbhv	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (1-PersonenHH usw./Kein Arbeiter)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ungelernter Arbeiter
	2	Angelernter Arbeiter

	3	Gelernter oder Facharbeiter
	4	Vorarbeiter, Kolonnenführer
	5	Meister, Polier, Brigadier
SDanghv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein Angestellter)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Mit ausführender Tätigkeit
	2	Mit qualifizierter Tätigkeit
	3	Mit verantwortlicher Tätigkeit
	4	Mit umfassender Führungstätigkeit
SDbmvhv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein Beamter)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Einfacher Dienst
	2	Mittlerer Dienst
	3	Gehobener Dienst
	4	Höherer Dienst
SDfbs1hv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein Selbständiger)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Selbständiger Landwirt/Genossenschaftsbauer
	2	Akademiker in freiem Beruf
	3	Selbständig im Handel, Gewerbe, etc.
SDfbs2hv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein selbst. Landwirt)
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Unter 10 ha
	2	Von 10 ha und mehr
	3	Genossenschaftsbauer (ehem. LPG)
SDfbs3hv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein freiber.
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Keine weiteren Mitarbeiter
	2	1-4 Mitarbeiter
	3	5 oder mehr Mitarbeiter
SDfbs4hv	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht
	-.96 <sup>a</sup>	Filterbed. fehlend (1-Personenhaushalt usw./Kein sonst.
	-.95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Keine weiteren Mitarbeiter
	2	1 - 4 Mitarbeiter
	3	5 oder mehr Mitarbeiter
	4	PGH-Mitglied
SDalo	-.99 <sup>a</sup>	Keine Angabe
	-.98 <sup>a</sup>	Weiß nicht

	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	1	Ja
	2	Nein
SDaloz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
SDalo_mm	-99,0 <sup>a</sup>	Keine Angabe
	-98,0 <sup>a</sup>	Weiß nicht
	-97,0 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96,0 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95,0 <sup>a</sup>	Eingangsfrage wn/kA
SDalokh	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
SDalogz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Verbessert
	2	Nicht verändert
	3	Verschlechtert
SDalo_zz	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
SDalodau	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	-97 <sup>a</sup>	Nicht erhoben (70+ Jahre)
	-96 <sup>a</sup>	Filterbed. fehlend (nicht arbeitslos i.d.l. 5 J.)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Ja
	2	Nein
SDerwt0	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein
SDerwt	1	Nie erwerbstätig
	2	Früher erwerbstätig
	3	Derzeit erwerbstätig
SDet01	-99 <sup>a</sup>	Keine Angabe

	-98 <sup>a</sup>	Weiß nicht
	-96 <sup>a</sup>	Filterbed. fehlend (derzeit nicht erwerbstätig)
	-95 <sup>a</sup>	Eingangsfrage wn/kA
	1	Vollzeit erwerbstätig
	2	Teilzeit erwerbstätig
	3	Gelegentlich o. unregelmäßig erwerbstätig
SDetstd	-99,0 <sup>a</sup>	Keine Angabe
	-98,0 <sup>a</sup>	Weiß nicht
	-96,0 <sup>a</sup>	Filterbed. fehlend (derzeit nicht erwerbstätig)
	-95,0 <sup>a</sup>	Eingangsfrage wn/kA
MImigrant	1	Migrant
	2	Nicht-Migrant
MImigback	0	Ohne
	1	Einseitig
	2	Beidseitig
MIdeutsch	-99 <sup>a</sup>	Keine Angabe
	-98 <sup>a</sup>	Weiß nicht
	1	Ja
	2	Nein

a. Wert fehlt